

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS:

Well log same file 4 electric logs
 3-14-66 Subsequent Report, 8 shooting, acidizing
 8-26-70 Subsequent to squeeze cement & acidize
 8-19-71 Subsequent to squeeze cement & acidize
 8-27-71 Subsequent to acidize
 12-1-83 Operator name change to Phillips Oil Co.

120404

DATE FILED 6-10-57

Nov-14-20-

LAND: FEE & PATENTED STATE LEASE NO.

PUBLIC LEASE NO.

INDIAN 603-368

DRILLING APPROVED: 6-10-57

SPUDDED IN: 6-12-57

COMPLETED: 8-2-57

INITIAL PRODUCTION: 624.12 BOPD 10.24 BWPD

GRAVITY A. P. I. 38.7

GO

PRODUCING ZONES: L. Brady Jette 5841-6006

TOTAL DEPTH: 6067

WELL ELEVATION: 5044 5060 K15

DATE ABANDONED:

FIELD OR DISTRICT: Ratherford Aneth

COUNTY: San Juan

WELL NO. NAVAJO B-(5)34-7 (Ratherford 7-34)

API-43-037-15989

LOCATION: 710 FT. FROM (S) LINE, 2003 FT. FROM (E) LINE. SW 1/4 SE 1/4 QUARTER - QUARTER SEC. 7

TWP. RGE. SEC. OPERATOR

TWP. RGE. SEC. OPERATOR

PHILLIPS

GEOLOGIC TOPS:

QUATERNARY	Star Point	Sinbad	Brazer
Recent	Wahweap	PERMIAN	Pilot shale
Alluvium	Masuk	Kaibab	Madison
Lake beds	Colorado	Coconino	Leadville
Pleistocene	Mancos	Cutler	Redwall
Lake beds	Upper	Hoskinnini	DEVONIAN
TERTIARY	Middle	DeChelly 2960'	Upper
Pliocene	Lower	White Rim	Middle
Humboldt	Emery	Organ Rock 3108'	Lower
Salt Lake	Blue Gate	Cedar Mesa	Ouray
Miocene	Ferron	Halgaite tongue	Elbert
Bishop conglomerate	Frontier	Phosphoris	Guilmette
Oligocene	Dakota	Park City	Simonson dolomite
Norwood	Burro Canyon	Rico (Goodridge)	Sevy dolomite
Eocene	Cedar Mountain	Supai	North Point
Duchesne River	Buckhorn	Bird Springs	SILURIAN
Uinta	JURASSIC	CARBONIFEROUS	Laketown dolomite
Bridger	Morrison	Pennsylvanian	ORDOVICIAN
Green River	Salt Wash	Oquirrh	Eureka quartzite
Upper	San Rafeal Gr.	Weber	Pogonip limestone
Middle	Summerville	Morgan	CAMBRIAN
Lower	Bluff sandstone	Hermosa 4851'	Lynch
Wasatch	Curtis	Upper	Bowman
Colton	Entrade	Lower	Tapeats
Flagstaff	Moab tongue	Molas	Ophir
Almy	Carmel	Paradox 5823'	Tintic
Paleocene	Glen Canyon Gr.	A	PRE-CAMBRIAN
Current Creek	Navajo	B	Upper Bdry BUTTE 5680'
North Horn	Kayento	C	Lower " " 5835'
CRETACEOUS	Wingate	Manning Canyon	Base " " " 6014' TO T.D
Montana	TRIASSIC	Mississippian	
Mesaverde	Chinle	Chainman shale	
Price River	Shinarump 81259'	Humburg	
Blackhawk	Moenkapi	Joana limestone	

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A. or
operations suspended

Pin changed on location map

Affidavit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed



8-2-57

FILE NOTATIONS

Entered in NID File

Entered On S R Sheet

Location Map Pinned

Card Indexed

I.W.R. for State or Fee Land

Checked by Chief

Copy NID to Field Office

Approval Letter

Disapproval Letter

COMPLETION DATA:

Date Well Completed

8-2-57

Location Inspected

OW

WW

TA

Bond Indexed

GW

OS

PA

State or Fee Land

LOGS FILED

Driller's Log

6-23-59

Electric Logs (No.)

4

E

I

E-I

GR

GR-N

Micro

Lat

Mi-L

Sonic

Others

*Section Surge
Radioactivity*

(SUBMIT IN TRIPLICATE)

Indian Agency

Window Rock

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Allottee -----Navajo

Lease No. 14-20-603-368

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	XX	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL		SUBSEQUENT REPORT OF REDRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

JUNE 7.....1957

Well No. Nava jo B-5 is located 710 ft. from ~~N~~
S line and 2003 ft. from ~~E~~
W line of sec. 7

SW/4 SE/4 Sec. 7 (¼ Sec. and Sec. No.)	41S (Twp.)	24E (Range)	Salt Lake (Meridian)
No. Desert Creek (Field)	San Juan (County or Subdivision)	Utah (State or Territory)	

The elevation of the derrick floor above sea level is _____ ft. (Unknown as yet)

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to drill well to test Paradox Limestone to about 5750'.

Will set approx. 900' of 10-3/4" surface casing w/cement circulated to surface.

Will set 7" 20# - 23# J-55 casing through any commerial production encountered.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil Company

Address P. O. Box 200


Casper, Wyoming

By George E. Nugent

Title _____ **Engineer**

Township 41S, Range 24E, County San Juan, State Utah

Island Township Plat



KINTZEL BLUE PRINT CO., CASPER, WYOMING

64

June 10, 1957

The Superior Oil Company
P. O. Box 200
Casper, Wyoming

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Navajo B-5, which is to be located 710 feet from the south line and 2003 feet from the east line of Section 7, Township 41 South, Range 24 East, SEEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT
SECRETARY

CBF:cn

cc: Phil McGrath/ Jerry Long
U.S.G.S. Farmington,
New Mexico

76

(SUBMIT IN TRIPLICATE)

	7	

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Window Rock _____
Allottee Navajo
Lease No. 14-20-603-368

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 8, 19 57

Well No. Navajo B-5 is located 710 ft. from XX line and 2003 ft. from E line of sec. 7

SW/4 SE/4 Sec. 7 41S 24E SL. 20N
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
North Desert Creek San Juan Utah
(Field) (County or Subdivision) (State or Territory)

The elevation of the kelly bushings above sea level is 5060 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

SPUD: June 12, 1957. Cem. 10-3/4" casing at 951' w/450 sax.

TOTAL DEPTH: 6067'. Cem. 7" casing at 6067' w/900 sax. PERD: 6024'
PERFORATED: 5841' to 5850', 5866' to 5893', 5899' to 5903', 5914' to 5929',
5952' to 5973' & 5988' to 6006' w/6 jets per foot.

INITIAL FLOW TEST

Flowed 256.29 bbls. in 9 hrs. thru 24/64" chk., press. 385#/04.
Grav. 38.7°, cut 7.1% B.S. & 1.5% Water, 28.44 BPH, 682.85 BPR.

COMPLETED: August 2, 1957

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company The Superior Oil Company

Address P. O. Box 200

Casper, Wyoming

By W. H. Fraser

Title District Engineer

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____

Window Rock

Allottee **Navajo**

Lease No. **14-20-603-368**

	7	
		X

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	<input checked="" type="checkbox"/>
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 8, 1957

Well No. **Navajo B-2** is located **710** ft. from **[S]** line and **2003** ft. from **[E]** line of sec. **7**

34 1/4 SE 1/4 Sec 7
(1/4 Sec. and Sec. No.)

41S
(Twp.)

24E
(Range)

SLB&M
(Meridian)

North Desert Creek
(Field)

San Juan
(County or Subdivision)

Utah
(State or Territory)

The elevation of the ~~surface~~ ^{Kelly bushings} above sea level is **5060** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

7" WFO Test #1

Perforated 5840' to 5841' & 6005' to 6006' w/4 jets per. foot.
Open 1 hr., S.I. 30 min. Recovered 40' slightly oil cut salt water.
SWP 04-05, SIP 50%, Hyd. 2460#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Superior Oil Company**

Address **P. O. Box 200**

Casper, Wyoming


By **W.H. Fraser**

Title **District Engineer**

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Window Rock
Allottee **Navajo**
Lease No. **14-20-603-368**



SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	XX
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL	SUBSEQUENT REPORT OF REDRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

August 8, 1957

Well No. **Navajo B-5** is located **710** ft. from **[S]** line and **2003** ft. from **[E]** line of sec. **7**

SW/4 SE/4 Sec 7 **41N** **24E** **S13W**
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
North Desert Creek **San Juan** **Utah**
(Field) (County or Subdivision) (State or Territory)

The elevation of the ~~shut-in~~ **kelly bushings** above sea level is **7040** ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Perforations: **5841' to 5850', 5866' to 5893', 5899' to 5903', 5914' to 5929', 5932' to 5973' & 5988' to 6006'.**

Acid Job #1

Washed parts. w/1000 gals. mud acid. Max. press. 2500#/1000#.
Flowed 536.34 bbls. in 22 1/2 hrs. thru 21"/64" chlk., press. 500#/PKR.

Acid Petrofres Job #1

Pumped 8000 gals acid petrorefres & 8000# sand into formation.
Max. press. 5500#/2000#. Stabbed 102.48 bbls. load oil in 13 1/2 hrs. Flowed 124.43 bbls. in 4 hrs. thru 24"/64" chlk., press. 385#/0#.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.


Company **The Superior Oil Company**

Address **P. O. Box 200**

Casper, Wyoming

By **W.H. Fraser**

Title **District Engineer**



LOCATE WELL CORRECTLY

U. S. LAND OFFICE ~~Window Rock~~
SERIAL NUMBER ~~14-20-603-368~~
LEASE OR PERMIT TO PROSPECT ~~None~~

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Company The Superior Oil Company Address P. O. Box 200, Casper, Wyoming
 Lessor or Tract Nava Jo 'B' Field No. Desert Creek State Utah
 Well No. B-5 Sec. 7 T. 41S R. 24E Meridian SLB&M County San Juan
 Location 710 ft. ^(N) of S Line and 2003 ^(E) of E Line of Sec. 7 Elevation 5060' KB
(Correct floor relative to sea level)

The information given herewith is a complete and correct record of the well and all work done thereon so far as can be determined from all available records.

Signed

Date August 8, 1957 Title District Engineer

The summary on this page is for the condition of the well at above date.

Commenced drilling ----- **June 12** -----, 19--**57** Finished drilling .. **August 2** .., 19--**57**

OIL OR GAS SANDS OR ZONES

(Denote gas by G)

No. 1, from 5841 to 6006 No. 4, from _____ to _____
 No. 2, from _____ to _____ No. 5, from _____ to _____
 No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

No. 1, from _____ to _____ No. 3, from _____ to _____
No. 2, from _____ to _____ No. 4, from _____ to _____

CASING RECORD

Size casing	Weight per foot	Threads per inch	Make	Amount	Kind of shoe	Cut and pulled from	Perforated		Purpose
							From -	To -	
10-3/4	32.75	8.25	Wells	951	Flow				Surface
7"	20 & 23	8.25	Wells	964	Flow		5841	5858	Production
							5866	5891	
							5899	5963	
							5914	5929	
							5952	5973	
							5988	6006	

MUDDING AND CEMENTING RECORD

Size casing	Where set	Number sacks of cement	Method used	Mud gravity	Amount of mud used
10-3/4 7"	951 5067	675 700	450 900 Pump & Plug Pump & Plug		

PLUGS AND ADAPTERS

Hoisting plus—Material

Length

Dentist set

Adapters—Material

Size

SHOOTING RECORD

Size	Shell used	Explosive used	Quantity	Date	Depth shot	Depth cleaned out

TOOLS USED

Rotary tools were used from 0 feet to 6067 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

DATES

Put to producing August 2 1957

The production for the first 24 hours was 682.85 barrels of fluid of which 91.4% was oil; 1.5% water; and 7.1% sediment. Gravity, °Bé. 38.7

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

Driller Driller

Driller Driller

FORMATION RECORD

FROM—	TO—	TOTAL FEET	FORMATION
		2655	Shinerump
		2960	De Chelly
		3100	Organ Rock
		4851	Hermosa
		5682	Upper Boundary Butte
		5823	Paradox Shale
		5835	Lower Boundary Butte
		6014	Base Lower Boundary Butte
		6067	Total Depth

Dist:
USGS (4)
State (2)
Koch
Maurer
Knapp
Nugent
File

(OVER)

14

(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Indian Agency _____
Window Rock _____
Allottee **Navajo** _____
Lease No. **14-20-603-368** _____

	7	
		X

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....		SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO REDRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	X	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			
Notice of intention to squeeze	X		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

October 13, 19 59

Navajo 'B' Well No. **#34-7** is located **710** ft. from **SE** line and **2003** ft. from **E** line of sec. **7**

SW SE Sec. 7 (1/4 Sec. and Sec. No.) **41S** (Twp.) **24E** (Range) **SL3M** (Meridian)
Ratherford (Field) **San Juan** (County or Subdivision) **Utah** (State or Territory)

The elevation of the ~~contour line~~ above sea level is **5060** ft. **kelly bushing**

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Propose to squeeze off perforations 5841' - 5903'.

Will drill out cement and reperforate 5843'-49', 5868'-71', 5874'-77', 5881'-84', 5888'-91' with hydraulic perforating tool.

Will acidize perfs 5843' - 5891' with 9,000 gallons retarded acid.

purpose of the above work is to assure isolation of subzone one and treat to increase production.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company **The Superior Oil Company**

Address **P. O. Drawer**

Cortez, Colorado

By **D. D. Kingman**
D. D. Kingman

Title **Engineer**

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN THIS MANNER*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-246
2. NAME OF OPERATOR Phillips Petroleum Co.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR Drawer 1150, Cortez, Colorado 81321		7. UNIT AGREEMENT NAME PH-1-1192
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 710' FSL, 2003' FSL, Sec. 7		8. FARM OR LEASE NAME Rutherford Unit
14. PERMIT NO.		9. WELL NO. 7-34
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5060 MB		10. FIELD AND POOL, OR WILDCAT Greater Aneth
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA 7-18-24E S12E
		12. COUNTY San Juan 13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐FRACTURE TREAT ☒SHOOT OR ACIDIZE ☐REPAIR WELL ☐(Other) ☐PULL OR ALTER CASING ☐MULTIPLE COMPLETE ☐ABANDON* ☐CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐FRACTURE TREATMENT ☐SHOOTING OR ACIDIZING ☐(Other) ☐REPAIRING WELL ☐ALTERING CASING ☐ABANDONMENT* ☐

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acid treat producing oil well as follows:

Treat with 1000 gallons of Mud acid and 50 bbls. lease crude with $\frac{1}{2}$ gallon of Marflow #2 per barrel crude oil.

Previous Production: 2-18-66: Pumped 19 BO, 28 MCF Gas, 7 BW at 124-88" SPH.

18. I hereby certify that the foregoing is true and correct

SIGNED

C. E. Bates

TITLE

Dist. Supt.

DATE

3-21-66

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN THE STATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-368

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SN-I-4192

8. FARM OR LEASE NAME

Rathertford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

7-41S-24E S1E1

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060 KB

12. COUNTY

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Clean out frac sand and acidize with 1000 gallons mud acid (2/15/66 through 2/27/66).

Pulled rods and tubing, ran SIM to 6004', found 20' of fillup. Ran bailer, cleaned out 18' of free sand to 6022'. Returned to production. Would not pump correctly. Acidized with 1000 gallons mud acid, flushed with 50 bbls. lease crude oil. Ran SIM to 6009'. Cleaned out frac 6009' to 6024' with bailer, recovered frac sand. Reran tubing and rods and returned to production.

Present production: 150 BOPD, 76 MCFOPD, 37 B-FPD.

18. I hereby certify that the foregoing is true and correct

SIGNED

G. M. Balog

TITLE District Superintendent

DATE 3-10-66

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-368

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SW-I-4192

8. FARM OR LEASE NAME

Ratherford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

7-41S-24E SUBM

12. COUNTY OR ~~STATE~~ 13. STATE

San Juan

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1.

OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Phillips Petroleum Co.

3. ADDRESS OF OPERATOR

P. O. Drawer 1150, Cortez, Colorado 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

710' FSL; 2003' FEL, Sec. 7

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060 KB

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other) Squeeze cement & acidize

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perti-
nent to this work.)*

Squeeze cement Zone II and Zone III, acidize Zone I with 9000 gallons 15%
(each stage (3) spearheaded with 250 gallons 28% acid or total of 750 gallons
28% acid), return to pumping from Zone I.

Present Production:

(Well presently shut down)

Last well test: 2/17/70: 15 BOPD, 11 MCFGPD, 946 BWPD.

18. I hereby certify that the foregoing is true and correct

SIGNED

C. M. Boles

TITLE District Superintendent

DATE 4-6-70

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

Orig & 2 cc:USGS, Farmington, NM
2 cc: Utah O&GCC, Salt Lake City
1 cc: Denver
1 cc: File

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-368

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SH-I-4192

8. FARM OR LEASE NAME

Rutherford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

7-12S-24E 518M

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060 KB

12. COUNTY OR ZONE

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Squeeze cement and acidize

☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

On 4-20-70 set Baker Model K cement retainer at 5945'. Squeezed Desert Creek Zone II perforations 5952-73' and Zone III perforations 5988-6006' to 3500' holding pressure. Acidized Desert Creek Zone I perforations 5840-5929' OA with 750 gallons 28% Spearhead acid and 9000 gallons 15% regular acid in 3 equal stages separated by 500 gallons oil-mothball block. Squeezed well, reran pumping equipment, started pumping at 4:00 P.M. 4-24-70. On 5-28-70 set packer bull plugged on bottom at 5895'. Hung well back on. Producing from Zone I perforations 5840-50 and 5866-93'. (Zone I perforations 5899-5903 and 5914-29' are shut off below packer). (Well had been shut down prior to workover since 2-23-70).

Previous Production (Greater Aneth - Paradox - Desert Creek Zone I, II, III):

*Has been shut down since 2-23-70

*Last well test prior to shut down was 2-17-70, 15 BO, 11 MCF Gas, 946 BW in 24 hours pumping from Desert Creek Zone I, II, III)

Present Production (Greater Aneth - Paradox - Desert Creek Zone I):

36 BOPD, 421 MCFPD, 320 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED

C. H. Bolas
C. H. Bolas

TITLE District Superintendent

DATE 8-21-70

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

Orig & 2 cc: USGS, Farmington, N.M.
2 cc: Utah O&GCC, Salt Lake City, Utah
1 cc: Denver
1 cc: Superior Oil Co., Cortez, Colo
1 cc: File

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-368
2. NAME OF OPERATOR Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR P. O. Box 2920, Casper, Wyoming 82601		7. UNIT AGREEMENT NAME SW-1-4192
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 710' FSL & 2003' FSL, Sec. 7		8. FARM OR LEASE NAME Rutherford Unit
14. PERMIT NO.		9. WELL NO. 7-34
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5060' RKB		10. FIELD AND POOL, OR WILDCAT Greater Aneth
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 7-T41S-R24E S1B1
		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF	<input type="checkbox"/>	PULL OR ALTER CASING	<input type="checkbox"/>
FRACTURE TREAT	<input type="checkbox"/>	MULTIPLE COMPLETE	<input type="checkbox"/>
SHOOT OR ACIDIZE	<input type="checkbox"/>	ABANDON*	<input type="checkbox"/>
REPAIR WELL	<input type="checkbox"/>	CHANGE PLANS	<input type="checkbox"/>
(Other) Squeeze Cement & Acidize	<input checked="" type="checkbox"/>		

SUBSEQUENT REPORT OF:

WATER SHUT-OFF	<input type="checkbox"/>	REPAIRING WELL	<input type="checkbox"/>
FRACTURE TREATMENT	<input type="checkbox"/>	ALTERING CASING	<input type="checkbox"/>
SHOOTING OR ACIDIZING	<input type="checkbox"/>	ABANDONMENT*	<input type="checkbox"/>
(Other)			

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Squeeze Cement Zone I Perfs (5840-50, 5866-93, 5899-5903 & 5914-29), Communicated with Zone II, drillout, reperforate Zone I at same intervals acidize with 200 gal 15% Acetic Acid and 1000 gal 28% HCL Acid and return to Zone I Desert Creek Production.

Present Production - Shut Down June 11, 1971

Last Test Before S.D.: 2 BOPD, 30 MCFGPD, 715 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED Original Signed By: J. P. DENNY TITLE Production Superintendent DATE June 25, 1971

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____
CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE
(Other instructions on re-
verse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-638

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SW-I-4192

8. FARM OR LEASE NAME

Ratherford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7-T41S-R24E, S1E4

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060' NKB

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

SHOOTING OR ACIDIZING

ABANDONMENT*

(Other) Squeeze Cement & Acidize

X

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

July 16, 1971 through July 21, 1971

Pulled rods, tubing and Baker Lok-Set Packer. Ran Baker Retrievanatic Packer, set packer at 5828'. Press. Csg and Rams to 1000 lbs. Pumped into formation 6 1/2 BPM at 1000 lbs. Mixed 250 sx Class C Cement w/.6% HALAD-9. Squeezed perfs 5840-5929 OA w/225 sx at 4000 lbs. Max Press 3600#, Holding Press. Reversed out 25 sx cement. Job complete 1:52 AM, 7/17/71. Pulled tubing and packer. Reran tubing w/6-1/8" bit to 12 jts off bottom. Tagged cement at approximately 5833. Drld cmt and washed to cement retainer at 5945. Bit plugged and unable to clean up hole. Pulled tubing and bit, RU Schlumberger, tagged fillup at 5941. Perforated 7" casing w/ 2 jet shots/ft. 5840-50, 5866-5893, 5899-5903 and 5914-5929. Ran tubing w/packer, seating shoe and 4 jts tail pipe. Circ cuttings from hole from 5941-45. Acidized w/250 gals, 15% Acetic Acid. Acidized w/1000 gals 28% HCl Acid. Job Completed 9:45 AM, 7/20/71. Ran pumping equipment and placed on pump 5:00 PM, 7/21/71.

Previous Production - S.D. 6/11/71 - Test 6/10/71, Rmpd 2 BOPD, 30 MCFGPD, 715 BWPD

Production After Workover - 7/28/71, Rmpd 6 BOPD, 18 MCFGPD, 90 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED

F. L. MorganTITLE Production SuperintendentDATE August 10, 1971

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on reverse side)

Form approved.
Budget Bureau No. 42-R1424.

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-638
2. NAME OF OPERATOR Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR Box 2920, Casper, Wyoming 82601		7. UNIT AGREEMENT NAME 1-4192
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 710' FWL & 2003' FWL, Sec. 7		8. FARM OR LEASE NAME Rutherford Unit
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5060' RXH	9. WELL NO. 7-34
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data		10. FIELD AND POOL, OR WILDCAT Greater Aneth
		11. SEC., T., R., OR BLM. AND SURVEY OR AREA Sec. 7-T15-R24-10
		12. COUNTY OR PARISH AND STATE San Juan Utah

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>	WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>	FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOT OR ACIDIZE <input checked="" type="checkbox"/>	ABANDON* <input type="checkbox"/>	SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	(Other) <input type="checkbox"/>	
(Other) <input type="checkbox"/>		(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acidize with 4500 gals. Dowell's Retarded Acid 9 in single stage.

Present Production: 8-5-71. 8 BOPD, 21 MCFGPD, 38 LMPD - Pumping.

18. I hereby certify that the foregoing is true and correct

SIGNED	Original Signed By: F. C. MORGAN	TITLE	Production Superintendent	DATE	Aug. 23, 1971
(This space for Federal office use)					
APPROVED BY		TITLE		DATE	
CONDITIONS OF APPROVAL, IF ANY:					

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-638

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SW-I-4192

8. FARM OR LEASE NAME

Ratherford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7-T4LS-R24E, SLHM

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060' RKB

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

~~REPAIR~~ ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

September 13, 1971 - Acidize with 4500 gals Dowell's Retarded Acid 9 in single stage.

Present Production August 5, 1971 - 8 BOPD, 21 MCFGPD, 38 BWPD, Pumping.

Production After Acid September 20, 1971 - 26 BOPD, 12 MCFGPD, 9 BWPD, Pumping.

18. I hereby certify that the foregoing is true and correct

SIGNED

Original Signed By:

F. C. MORGAN

TITLE Production Superintendent

DATE September 23, 1971

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

3 - U.S.G.S., Farmington, N.M.

2 - State of Utah O&GCC, Salt Lake City, Utah

1 - Superior Oil, Cortez, Colo.

1 - File

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-638

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Nava jo

7. UNIT AGREEMENT NAME

SW-I-4192

8. FARM OR LEASE NAME

Ratherford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec 7-41-24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL ☒ GAS WELL ☐ OTHER ☐

2. NAME OF OPERATOR

Phillips Petroleum Company

3. ADDRESS OF OPERATOR

Box 2920, Casper, Wyoming 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

710' FWL & 2003' FEL, Sec. 7

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060' RKB

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

<input type="checkbox"/>
<input type="checkbox"/>
<input checked="" type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

FRACTURE TREAT

~~ACIDIZE~~ ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

<input type="checkbox"/>
<input type="checkbox"/>
<input type="checkbox"/>

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Acidize Zone I with 7500 gals. 15% HCL acid.

Present Production: Pumping 14 BOPD, 14 MCFGPD, 7 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED

TITLE

DATE

12-8-71

(This space for Federal or State office use)

Production Superintendent

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

3 - W.S.G.S., Farmington, N.M.

2 - State of Utah O&GCC, Salt Lake City

*See Instructions on Reverse Side - File

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEYSUBMIT IN TRIPLICATE*
(Other instructions on reverse side)Form approved.
Budget Bureau No. 42-R1424.

5. LEASE DESIGNATION AND SERIAL NO.

14-20-603-638

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

7. UNIT AGREEMENT NAME

SW-1-4192

8. FARM OR LEASE NAME

Rathford Unit

9. WELL NO.

7-34

10. FIELD AND POOL, OR WILDCAT

Greater Aneth

11. SEC., T., R., M., OR BLK. AND
SURVEY OR AREA

Sec. 7-T41S-R24E

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, GR, etc.)

5060' RKB

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☐
☐

PULL OR ALTER CASING

☐
☐
☐
☐

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other)

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☒

REPAIRING WELL

☐
☐
☐

FRACTURE TREATMENT

ALTERING CASING

~~SHOOT OR~~ ACIDIZING

ABANDONMENT*

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

PTD 5945'

January 31, 1972 - Acidized Zone I with 7500 gals 15% HCL Acid.

Production Before Acidizing: Pumping 24 BOPD, 7 BWPD

Production After Acidizing: Pumping 34 BOPD, 10 BWPD

18. I hereby certify that the foregoing is true and correct

SIGNED

P. C. Morgan

TITLE

Production Superintendent

DATE

February 23, 1972

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

3 - USGS, Farmington, N. Mexico

2 - Utah O&G CC, Salt Lake

1 - Superior Oil Co., Cortez, Colo.

1 - File

*See Instructions on Reverse Side

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" (or such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 96-004192 ✓
2. NAME OF OPERATOR Phillips Oil Company		6. IF INDIAN, ALLOTTED OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR P. O. Box 2920, Casper, WY 82602		7. UNIT AGREEMENT NAME Ratherford Unit ✓
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface See Attached		8. FARM OR LEASE NAME
14. PERMIT NO. See Attached		9. WELL NO.
15. ELEVATIONS (Show whether OF, RT, OR, etc.)		10. FIELD AND POOL, OR WILDCAT N/A
		11. SEC. T., R., M., OR BLK. AND SECTY OR AREA See Attached
		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16.

Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PULL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANS

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

REPAIRING WELL


ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

To show change of Operator only. Phillips Oil Company assumed operations effective December 1, 1983 from Phillips Petroleum Company. See attached for list of wells.



Org. & 3-BLM

1-The Navajo Nation
1-Mary Wiley Black
1-Lawrence E. Brock
1-Chevron USA
1-Ralph Fixel
1-Royal Hogan
1-W. O. Keller
1-Dee Kelly Corp.

1-Robert Klabzuba
1-Micheal J. Moncrief
1-Richard B. Moncrief
1-Lee W. Moncrief
1-Mary H. Morgan
1-W. A. Moncrief
1-W. A. Moncrief, Jr.
1-L. F. Peterson

1-Shell Oil Co.
1-Southland Royalty Co.
1-Superior Oil Co.
1-Leroy Shave
1-Texaco, Inc.
1-Wade Wiley, Jr.
1-Edwin W. Word, Jr.
1-File

18. I hereby certify that the foregoing is true and correct

SIGNED A. E. Stuart TITLE Area Manager

DATE 12/6/83

(This space for Federal or State office use)

APPROVED BY _____
CONDITIONS OF APPROVAL, IF ANY:

TITLE _____

DATE _____


*See Instructions on Reverse Side

<u>WELL NO.</u>	<u>WELL LOCATION</u>	<u>API NO.</u>	<u>STATUS</u>
29-34	SW SE Sec.29-T41S-R24E	43-037-15340	Act.
30-23	NE SW Sec.30-T41S-R24E	43-037-15341	SI
30-32	SW NE Sec.30-T41S-R24E	43-037-15342	SI
32-41	NE NE Sec.32-T41S-R24E	43-037-15344	SI
1-13	NW SW Sec.1-T41S-R24E	43-037-15838	Act.
1-24	SE SW Sec.1-T41S-R24E	43-037-15839	Act.
1-44	SE SE Sec.1-T41S-R24E	43-037-15840	Act.
6-14	SW SW Sec.6-T41S-R24E	43-037-15894	Act.
7-12	SW NW Sec.7-T41S-R24E	43-037-15985	SI
7-14	SW SW Sec.7-T41S-R24E	43-037-15986	SI
7-23	NE SW Sec.7-T41S-R24E	43-037-15987	SI
7-32	SW NE Sec.7-T41S-R24E	43-037-15988	SI
7-34	SW SE Sec.7-T41S-R24E	43-037-15989	Act.
11-42	SE NE Sec.11-T41S-R23E	43-037-15841	Act.
11-44	SE SE Sec.11-T41S-R23E	43-037-15842	Act.
12-11	NW NW Sec.12-T41S-R23E	43-037-15843	Act.
12-14	SW SW Sec.12-T41S-R23E	43-037-15844	Act.
12-22	SE NW Sec.12-T41S-R23E	43-037-15845	Act.
12-23	NE SW Sec.12-T41S-R23E	43-037-15846	Act.
12-31	NW NE Sec.12-T41S-R23E	43-037-15847	Act.
12-33	NW SE Sec.12-T41S-R23E	43-037-15848	Act.
12-41	NE NE Sec.12-T41S-R23E	43-037-15849	Act.
12-42	SE NE Sec.12-T41S-R23E	43-037-15850	Act.
13-13	NW SW Sec.13-T41S-R23E	43-037-15851	Act.
13-22	SE NW Sec.13-T41S-R23E	43-037-15852	Act.
13-24	SE SW Sec.13-T41S-R23E	43-037-15853	Act.
13-31	NW NE Sec.13-T41S-R23E	43-037-15854	Act.
13-33	NW SE Sec.13-T41S-R23E	43-037-15855	Act.
13-42	SE NE Sec.13-T41S-R23E	43-037-15857	Act.
14-32	SW NE Sec.14-T41S-R23E	43-037-15858	Act.
14-33	NW SE Sec.14-T41S-R23E	43-037-15859	SI
14-42	SE NE Sec.14-T41S-R23E	43-037-15860	Act.
24-11	NW NW Sec.24-T41S-R23E	43-037-15861	SI
24-31	NW NE Sec.24-T41S-R23E	43-037-15862	Act.
E11-14	SW SW Sec.11-T41S-R24E	43-037-16167	Act.
3-12	SW NW Sec.3-T41S-R24E	43-037-15620	Act.
3-14	SW SW Sec.3-T41S-R24E	43-037-15124	Act.
3-23	NE SW Sec.3-T41S-R24E	43-037-15125	SI
3-32	SW NE Sec.3-T41S-R24E	43-037-15621	SI
3-44	SE SE Sec.3-T41S-R24E	43-037-15031	Act.
4-14	SW SW Sec.4-T41S-R24E	43-037-16163	Act.
4-22	SE NW Sec.4-T41S-R24E	43-037-15622	SI
4-32	SW NE Sec.4-T41S-R24E	43-037-15623	SI
4-34	SW SE Sec.4-T41S-R24E	43-037-16164	Act.
4-42	SE NE Sec.4-T41S-R24E	43-037-15624	SI
5-34	SW SE Sec.5-T41S-R24E	43-037-15983	SI
8-12	SW NW Sec.8-T41S-R24E	43-037-15991	Act.
8-14	SW SW Sec.8-T41S-R24E	43-037-15992	Act.
8-21	NE NW Sec.8-T41S-R24E	43-037-15993	Act.
8-23	NE SW Sec.8-T41S-R24E	43-037-15994	Act.
8-32	SW NE Sec.8-T41S-R24E	43-037-15995	SI

6. UNIT OPERATOR (Well operator)

Phillips Petroleum Company is hereby designated as Unit Operator and by signature hereto as Unit Operator agrees and consents to accept the duties of Unit Operator for the development and production of Unitized Substances as herein provided.

Taken from the Ratherford Unit Agreement.
Operator Name Change.



PRODUCING ENTITY ACTION

Operator Name Phillips Petroleum Company
 Address Box 2920
 City Casper, State WY Zip 82604
 Utah Account No. N0772
 Authorized Signature Meredith K. Widiker
 Effective Date October, 1986 Telephone (307) 237-3791

ACTION CODE

- A Establish new entity for new well(s).
 - B Add new well(s) to existing entity.
 - C Delete well(s) from existing entity.
 - D Establish new entity for well(s) being deleted from existing entity.
 - E Change well(s) from one entity to another existing entity.
 - F Other. (Specify using attachments if necessary.)
- BRACKET WELLS TO BE GROUPED TOGETHER.**

(Use black ink or typewriter ribbon.)

Action Code	Current Entity No.	New Entity No.	API No.	Well Name	Well Location					Producing Formation
					Sec.	T	R	Q/Q	County	
C	06280		4303715989	Ratherford Unit Well #7-34	7	41S	24E	SWSE	San Juan	DSCR

Explanation of action:

Converted to a water injection well 10/6/86

C	06280		4303715857	Ratherford Unit Well #13-42	13	41S	23E	SENE	San Juan	DSCR
---	-------	--	------------	-----------------------------	----	-----	-----	------	----------	------

Explanation of action:

Converted to a water injection well 10/24/86

C	06280		4303715731	Ratherford Unit Well #17-41	17	41S	24E	NENE	San Juan	PRDX
---	-------	--	------------	-----------------------------	----	-----	-----	------	----------	------

Explanation of action:

Converted to a water injection well 10/23/86

C	06280		4303715736	Ratherford Unit Well #18-32	18	41S	24E	SWNE	San Juan	PRDX
---	-------	--	------------	-----------------------------	----	-----	-----	------	----------	------

Explanation of action:

Converted to a water injection well 10/10/86

Commencement

DIVISION OF
OIL, GAS AND MINING
Page 1

MONTHLY REPORT OF ENHANCED RECOVERY PROJECT - PART 2

MONTHLY MONITORING OF INJECTION WELLS

<u>Well Name</u>	<u>Int. Press.</u>	<u>Int. Rate</u>	<u>Annulus Press.</u>	<u>Monthly Int. Vol.</u>
Ratherford Unit, Well #				
E14W21 X	SI	SI		SI
E14W23 X	SI	SI		SI
1W24 X	600	136		4219
1W34 X	SI	SI		SI
2W44 X	2400	280		8679
3W42 X	SI	SI		SI
5W14 X <i>Prod. 10/1/86</i>				
5W43 X	0	195		6033
6W23 X	SI	SI		SI
7W12 X	1350	389		8549
7W14 X	2400	211		6530
7W21 X	2300	7		217
7W32 <i>Completed 10/9/86</i>	2250	144		3304
7W34 <i>Completed 10/6/86</i>	2150	153		3977
7W41 X	0	247		7665
7W43 X	1450	81		2498
8W14 X	2250	95		2946
8W43 X	0	263		8156
9W21 X	1275	358		11100
9W23 X	0	351		10893
9W41 X	SI	SI		SI

DEC 01 1986

MONTHLY REPORT OF ENHANCED RECOVERY PROJECT - PART 2 Page 2

MONTHLY MONITORING OF INJECTION WELLS

<u>Well Name</u>	<u>Ini. Press.</u>	<u>Ini. Rate</u>	<u>Annulus Press.</u>	<u>Monthly Ini. Vol.</u>
9W43 X	SI	SI		SI
10W21 X	SI	SI		SI
10W23	1300	327		10125
10W43 X	1500	11		348
12W13 X	2500	150		4651
12W44 X	SI	SI		SI
13W32 X	SI	SI		SI
13W41 X	SI	SI		SI
13W42 <i>Completed 10/24/86</i>	950	423		3383
13W44 X	2400	48		1446
14W43 X	SI	SI		SI
15W21 X	0	282		8741
15W23 X	2425	85		2626
15W43 X	2400	32		983
16W21 X	0	373		11578
16W23 X	1200	213		6590
16W43 X	2300	173		5357
17W21 X	2425	408		12655
17W41 <i>Completed 10/23/86</i>	2020	381		3432
17W43 X	2475	122		3781
18W14 X	2425	24		757
18W21 X	2250	7		202

DEC 01 1986

MONTHLY REPORT OF ENHANCED RECOVERY PROJECT - PART 2

Page 3

MONTHLY MONITORING OF INJECTION WELLS

<u>Well Name</u>	<u>Int. Press.</u>	<u>Int. Rate</u>	<u>Annulus Press.</u>	<u>Monthly Int. Vol.</u>
18W32 <i>Completed 10/10/86</i>	2120	179		3754
18W41 X	2250	16		504
18W43 X	SI	SI		SI
19W21 X	2350	179		5539
19W23 X	SI	SI		SI
19W41 X	2300	169		2145
19W43 X	2250	246		7625
20W21 X	2400	14		426
20W23 X	2550	286		8874
20W41 X	2250	153		4729
20W43 X	2300	244		7577
21W21 X	2400	294		9124
21W41 X	SI	SI		SI
21W43 X	SI	SI		SI
22W21 X	SI	SI		SI
24W21 X	SI	SI		SI
24W43 X	800	295		9142
28W21 X	2350	23		703
29W21 X	2250	363		11,263
29W23 X	SI	SI		SI
29W41 X	1950	384		11,889
29W43 X	SI	SI		SI

AFFIDAVIT OF PUBLICATION

Public notice

BEFORE THE DIVISION OF
OIL, GAS AND MINING
DEPARTMENT OF
NATURAL RESOURCES
STATE OF UTAH

IN THE MATTER OF THE APPLICATION OF PHILLIPS PETROLEUM COMPANY, FOR ADMINISTRATIVE APPROVAL TO INJECT FLUID INTO CONVERTED ENHANCED RECOVERY INJECTION WELLS LOCATED IN SECTIONS 6, 7, & 8, TOWNSHIP 41 SOUTH, RANGE 24 EAST, AND SECTION 1, TOWNSHIP 41 SOUTH, RANGE 23 EAST, S.L.M., SAN JUAN COUNTY, UTAH

CAUSE NO. UIC-079

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box 2920, Casper, Wyoming, 82602 has requested administrative approval from the Division to convert the following listed wells to enhanced recovery water injection wells:

RATHERFORD UNIT

#1-44	Sec. 1, T41S, R23E
#1-24	Sec. 1, T41S, R23E
#1-13	Sec. 1, T41S, R23E
#6-14	Sec. 6, T41S, R24E
* #7-34	Sec. 7, T41S, R24E
#7-32	Sec. 7, T41S, R24E
#7-23	Sec. 7, T41S, R24E
#7-14	Sec. 7, T41S, R24E
#7-12	Sec. 7, T41S, R24E
#8-14	Sec. 8, T41S, R24E

Injection Interval: Desert Creek 5,479' to 5,929'

Maximum Estimated Surface Pressure: 3000 psig

Maximum Estimated Water Injection Rate: 500 BWPD

Approval of this application will be granted unless objections are filed with the Division of Oil, Gas and Mining within 15 days after publication of this Notice. Objections, if any, should be mailed to the Division of Oil, Gas and Mining Attention: UIC Program Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84108-1203.

DATED this 13th day of March, 1986.
STATE OF UTAH

STATE OF UTAH
DIVISION OF OIL,
GAS AND MINING
MARJORIE L. ANDERSON
Administrative Assistant

Published in The San Juan Record
March 19, 1986.

I, Joyce Martin, ng duly sworn,

depose and say that I am the publisher of the San Juan Record, a weekly newspaper of general circulation published at Monticello, Utah, every Wednesday; that notice of request for administrative approval to inject fluid into converted wells, Cause # UIC-079 a copy of which is hereunto attached, was published in the regular and entire issue of each number of said newspaper for a period of one issues, the first publication having been made on March 19, 1986. and the last publication having been made on

Signature

Joyce A Martin
Publisher

Subscribed and sworn to before me this 19th

day of March, A.D. 1986.

Fred K Adams
Notary Public
Residing at Monticello, Utah

My commission expires December 2, 1987

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-368
2. NAME OF OPERATOR Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
3. ADDRESS OF OPERATOR P.O. Box 2920, Casper, WY 82602		7. UNIT AGREEMENT NAME SW-I-4192
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 710' FSL, 2003' FEL (SW SE)		8. FARM OR LEASE NAME Ratherford Unit
14. PERMIT NO. 43-037-15989		9. WELL NO. 7-34 ✓
15. ELEVATIONS (Show whether DF, RT, GR, etc.) 5060' RKB		10. FIELD AND POOL, OR WILDCAT Greater Aneth
		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA Sec. 7-T41S-R24E
		12. COUNTY OR PARISH San Juan
		13. STATE Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

☐
☐
☒
☐

PULL OR ALTER CASING

☐
☐
☐
☐
☒

FRACTURE TREAT

MULTIPLE COMPLETE

SHOOT OR ACIDIZE

ABANDON*

REPAIR WELL

CHANGE PLANS

(Other) Convert to Water Injection

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

☐
☐
☐

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other)

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

It is proposed to convert Ratherford Unit #7-34 from a Zone I producing well to a Zone I water injection well. Upon conversion, the well will be acidized with approximately 8400 gallons of 28% HCl Acid, and placed on injection.

A 10' x 8' x 6' fenced pit will be constructed on location in a previously disturbed area. Upon completion of the workover, the pit will be dried and recovered.

5-BLM, Farmington, NM
2-Utah O&G CC, Salt Lake City Utah
1-P. J. Adamson
1-M. Williams, 302 TRW
1-J. R. Weichbrodt
1-B. J. Murphy
1-File RC

RECEIVED
MAY 21 1986

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 5/28/86
BY: [Signature]

DIVISION OF
OIL, GAS & MINING

Federal approval of this action
is required before commencing
operations.

18. I hereby certify that the foregoing is true and correct

SIGNED

D. C. Gill

TITLE Area Manager

DATE May 14, 1986

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

Mobil Oil Corporation

P.O. BOX 5444
DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth
Associate Director

RECEIVED
MAY 16 1986

DIVISION OF
OIL, GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly owned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,



R. D. Baker
Environmental Regulatory Manager

CNE/rd
CNE8661

Affidavit of Publication

ADM-358

STATE OF UTAH,
County of Salt Lake

ss.

BEFORE THE DIVISION OF
OIL, GAS AND MINING
DEPARTMENT OF
NATURAL RESOURCES
STATE OF UTAH
CAUSE NO. UIC-079

IN THE MATTER OF THE AP-
PLICATION OF PHILLIPS PE-
TROLEUM COMPANY, FOR
ADMINISTRATIVE APPROVAL
TO INJECT FLUID INTO CON-
VERTED ENHANCED RECOV-
ERY INJECTION WELLS LO-
CATED IN SECTIONS 4, 7, & 8,
TOWNSHIP 41 SOUTH, RANGE
24 EAST, AND SECTION 1,
TOWNSHIP 41 SOUTH, RANGE
23 EAST, S.L.M., SAN JUAN
COUNTY, UTAH.

THE STATE OF UTAH TO
ALL INTERESTED PARTIES IN
THE ABOVE ENTITLED MAT-
TER:

Notice is hereby given that
Phillips Petroleum Company,
P.O. Box 2920, Casper, Wyo-
ming, 82502 has requested ad-
ministrative approval from the
Division to convert the follow-
ing listed wells to enhanced re-
covery water injection wells:

Well	Location
#1-44	Sec. 1, T41S, R23E
#1-24	Sec. 1, T41S, R23E
#1-13	Sec. 1, T41S, R23E
#6-14	Sec. 4, T41S, R24E
#7-34	Sec. 7, T41S, R24E
#7-32	Sec. 7, T41S, R24E
#7-23	Sec. 7, T41S, R24E
#7-14	Sec. 7, T41S, R24E
#7-12	Sec. 7, T41S, R24E
#8-14	Sec. 8, T41S, R24E

Injection Interval: Desert Creek
5,479' to 5,929'

Maximum Estimated Surface Pres-
sure: 3000 psig

Maximum Estimated Water Injec-
tion Rate: 500 BWPD

Approval of this application
will be granted unless objec-
tions are filed with the Division
of Oil, Gas and Mining within fif-
teen days after publication of
this Notice. Objections, if any,
should be mailed to the Division
of Oil, Gas and Mining, Atten-
tion: UIC Program Manager,
355 West North Temple, 3 Triad
Center, Suite 350, Salt Lake
City, Utah 84100-1203.

DATED this 13th day of
March, 1986.

STATE OF UTAH
DIVISION OF OIL,
GAS AND MINING
MARJORIE L. ANDERSON
Administrative Assistant
H-33

Cheryl Gierloff

Being first duly sworn, deposes and says that he/she is
legal advertising clerk of THE SALT LAKE TRIBUNE,
a daily newspaper printed in the English language with
general circulation in Utah, and published in Salt Lake
City, Salt Lake County, in the State of Utah, and of the
DESERET NEWS, a daily newspaper printed in the
English language with general circulation in Utah, and
published in Salt Lake City, Salt Lake County, in the
State of Utah.

That the legal notice of which a copy is attached hereto

Cause No. UIC-079 Application of Phillips

Petroleum Company

was published in

March 2nd

10 copies

Cheryl Gierloff
Advertising Clerk

Subscribed and sworn to before me this day of

March


A.D. 1986

B. T. Davis

Notary Public

My Commission Expires

March 1, 1988





STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 8, 1986

Phillips Petroleum Company
P.O. Box 2920
Casper, Wyoming 82602

Gentlemen:

RE: Injection Well Approval - Cause No. UIC-079

Administrative approval is hereby granted to convert the following wells to Class II enhanced recovery water injection wells:

RATHERFORD UNIT - San Juan County, Utah

<u>WELL</u>	<u>LOCATION</u>	<u>WELL</u>	<u>LOCATION</u>
#1-44	Sec. 1, T41S, R23E	#7-32	Sec. 7, T41S, R24E
#1-24	Sec. 1, T41S, R23E	#7-23	Sec. 7, T41S, R24E
#1-13	Sec. 1, T41S, R23E	#7-14	Sec. 7, T41S, R24E
#6-14	Sec. 6, T41S, R24E	#7-12	Sec. 7, T41S, R24E
#7-34	Sec. 7, T41S, R24E	#8-14	Sec. 8, T41S, R24E

This approval is conditional upon full compliance with the UIC rules and regulations adopted by the Board of Oil, Gas and Mining, and construction and operation of the well as outlined in the application submitted.

If you have any questions concerning this matter, please do not hesitate to call or write.

Best regards,

Dianne R. Nielson
Director

mfp
7627U

Publication was sent to the following:

Navajo Tribe
PO Box 146
Window Rock, Arizona 86515

Mobil Oil Company
Attn: Joint Interest Advisor
PO Box 5444
Denver, Colorado 80217

Texaco, Inc.
PO Box 2100
Denver, Colorado 80201

Phillips Petroleum Company
PO Box 2920
Casper Wyoming 82602


Utah State Department of Health
Water Pollution Control
Attn: Loren Morton
4241 State Office Building
Salt Lake City, Utah 84114

U.S. Environmental Protection Agency
Suite 1300
Attn: Mike Strieby
999 18th Street
Denver, Colorado 80202-2413

Bureau of Land Management
consolidated Financial Center
324 South State Street
Salt Lake City, Utah 84111-2303

Newspaper Agency
Legal Advertizing
Mezzanine Floor
143 South Main
Salt Lake City, Utah 84111

San Juan Record
Legal Advertizing
Monticello, Utah 84535


March 13, 1986



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13, 1986

San Juan Record
Legal Advertizing
Monticello, Utah 84535

Gentlemen:

RE: UIC-079

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the 20th day of March. In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours,
DIVISION OF OIL, GAS AND MINING

MARJORIE L. ANDERSON
Administrative Assistant

mfp
0045A



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

March 13, 1986

Newspaper Agency
Legal Advertizing
Mezzanine Floor
143 South Main
Salt Lake City, Utah 84111

Gentlemen:

RE: UIC-079

Attached hereto is a Notice of Application of Administrative Approval, before the Division of Oil, Gas and Mining, Department of Natural Resources, State of Utah.

It is requested that this notice be published ONCE ONLY, as soon as possible but no later than the 20th day of March. In the event that said notice cannot be published by this date, please notify this office immediately by calling 538-5340 Ex. 5296.

Upon completion of this request, please send proof of publication and statement of cost to the Division of Oil, Gas and Mining, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake City, Utah 84180-1203.

Very truly yours,
DIVISION OF OIL, GAS AND MINING

MARJORIE L. ANDERSON
Administrative Assistant

mfp
0045A

BEFORE THE DIVISION OF OIL, GAS AND MINING
DEPARTMENT OF NATURAL RESOURCES
STATE OF UTAH

---oo0oo---

IN THE MATTER OF THE APPLICATION : CAUSE NO. UIC-079
OF PHILLIPS PETROLEUM COMPANY, :
FOR ADMINISTRATIVE APPROVAL TO :
INJECT FLUID INTO CONVERTED :
ENHANCED RECOVERY INJECTION WELLS :
LOCATED IN SECTIONS 6, 7, & 8, :
TOWNSHIP 41 SOUTH, RANGE 24 EAST; :
AND SECTION 1, TOWNSHIP 41 SOUTH, :
RANGE 23 EAST, S.L.M., SAN JUAN :
COUNTY, UTAH

---oo0oo---

THE STATE OF UTAH TO ALL INTERESTED PARTIES IN THE ABOVE ENTITLED
MATTER.

Notice is hereby given that Phillips Petroleum Company, P.O. Box
2920, Casper, Wyoming, 82602 has requested administrative approval
from the Division to convert the following listed wells to enhanced
recovery water injection wells:

RATHERFORD UNIT

<u>WELL</u>	<u>LOCATION</u>	<u>WELL</u>	<u>LOCATION</u>
#1-44	Sec. 1, T41S, R23E	#7-32	Sec. 7, T41S, R24E
#1-24	Sec. 1, T41S, R23E	#7-23	Sec. 7, T41S, R24E
#1-13	Sec. 1, T41S, R23E	#7-14	Sec. 7, T41S, R24E
#6-14	Sec. 6, T41S, R24E	#7-12	Sec. 7, T41S, R24E
#7-34	Sec. 7, T41S, R24E	#8-14	Sec. 8, T41S, R24E

Injection Interval: Desert Creek 5,479' to 5,929'
Maximum Estimated Surface Pressure: 3000 psig
Maximum Estimated Water Injection Rate: 500 BWPD

Approval of this application will be granted unless objections are
filed with the Division of Oil, Gas and Mining within fifteen days
after publication of this Notice. Objections, if any, should be
mailed to the Division of Oil, Gas and Mining, Attention: UIC Program
Manager, 355 West North Temple, 3 Triad Center, Suite 350, Salt Lake
City, Utah 84180-1203.

DATED this 13th day of March, 1986.

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

Marjorie L. Anderson
MARJORIE L. ANDERSON
Administrative Assistant

STATE OF UTAH
DIVISION OF OIL, GAS, AND MINING
ROOM 4241 STATE OFFICE BUILDING
SALT LAKE CITY, UTAH 84114
(801) 533-5771
(RULE I-5 & RULE I-4)

FORM NO. DOGM-UIC-1
(Revised 1982)

IN THE MATTER OF THE APPLICATION OF

Phillips Petroleum Company
ADDRESS P. O. Box 2920
Casper, WY ZIP 82602
INDIVIDUAL PARTNERSHIP ☒ CORPORATION
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR
INJECT FLUID INTO THE 7W34 WELL
SEC. 7 TWP. 41S RANGE 24 E
San Juan COUNTY, UTAH

CAUSE NO. C-3 (B)

ENHANCED RECOVERY INJ. WELL ☒
DISPOSAL WELL ☐
LP GAS STORAGE ☐
EXISTING WELL (RULE I-4) ☐

APPLICATION

Comes now the applicant and shows the Corporation Commission the following:

1. That Rule I-5 (g) (iv) authorizes administrative approval of enhanced recovery injections, disposal or LP Gas storage operations.
2. That the applicant submits the following information.

Lease Name <u>Ratherford Unit</u>	Well No. <u>7W34</u>	Field <u>Greater Aneth</u>	County <u>San Juan</u>
Location of Enhanced Recovery Injection or Disposal Well <u>7W34</u> Sec. <u>7</u> Twp. <u>41S</u> Rge. <u>24</u> E			
New Well To Be Drilled Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Old Well To Be Converted Yes <input type="checkbox"/> No <input type="checkbox"/>	Casing Test Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> Date <u> </u>	
Depth-Base Lowest Known <u>Wingate</u> Fresh Water Within 1/2 Mile <u>1550'</u>	Does Injection Zone Contain Oil-Gas-Fresh Water Within 1/2 Mile YES <input checked="" type="checkbox"/> NO <input type="checkbox"/>		State What Oil & Gas
Location of Injection Source(s) <u>Desert Creek Paradox</u> <u>I & II/ San Juan River</u>		Geologic Name(s) and Depth of Source(s) <u>Desert Creek (5840)</u> <u>San Juan River (Surface)</u>	
Geologic Name of Injection Zone <u>Desert Creek Zone I</u>		Depth of Injection Interval <u>5840</u> to <u>5929</u>	
a. Top of the Perforated Interval: <u>5840</u>	b. Base of Fresh Water: <u>1550</u>	c. Intervening Thickness (a minus b) <u>4290</u>	
Is the intervening thickness sufficient to show fresh water will be protected without additional data? YES <input checked="" type="checkbox"/> NO <input type="checkbox"/> See previously submitted material, attachment #4			
Lithology of Intervening Zones <u>See previously submitted material, attachment #1</u>			
Injection Rates and Pressures Maximum <u>500</u> B/D Not to exceed approximately <u>3000</u> PSI			
The Names and Addresses of Those to Whom Notice of Application Should be Sent. <u>Navajo Tribe, Minerals Dept., P. O. Box 146, Window Rock, AZ 86515</u> <u>Mobil Oil Corp. Attn; Joint Interest Advisor P. O. Box 5444 Denver, CO 80217</u> <u>Texaco Inc., P. O. Box 2100, Denver, CO 80201</u>			

State of Wyoming) Phillips Petroleum Company

County of Natrona) Applicant
Before me, the undersigned authority, on this day personally appeared D. C. Gill
known to me to be the person whose name is subscribed to the above instrument, who being by me duly sworn on
oath states, that he is duly authorized to make the above report and that he has knowledge of the facts stated
therein, and that said report is true and correct.

Suscribed and sworn to before me this 21st day of February, 19 86

SEAL Wyoming

My Commission Expires Nov. 3, 1986

Donald L. Hudson
Notary Public in and for Natrona Co., Wyoming

(OVER)

INSTRUCTIONS

1. Attach qualitative and quantitative analysis of representative sample of water to be injected and a qualitative and quantitative analysis of the injection formation of water.
2. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within one-half mile, together and with the name of the operator(s).
3. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division or appropriate government agencies.)
4. Attach Electric or Radioactivity Log of Subject well (if released).
5. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of cement used measured or calculated tops of cement surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
6. If the application is for a NEW well the original and six (6) copies of the application and three (3) complete sets of attachments shall be mailed to the Division. For EXISTING well applications (Rule I-4) only ONE copy of the application and ONE complete set of attachments are required to be mailed to the Division.
7. The Division is required to send notice of application to the surface owner of the land within one-half mile of the injection well and to each operator of a producing leasehold within one-half mile of the injection well. List all required names and addresses in the appropriate space provided on the front of this form.
8. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county of publication before the application is approved. The notice shall include the name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and volume. If no written objection is received within 15 days from date of publication the application may be approved administratively.
9. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed by January 31st each year.
10. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
11. If there is less intervening thickness required by Rule I-5 (b) 4, attach sworn evidence and data.
12. For enhanced recovery projects, information required by Rule I-4 which is common to more than one well, need be reported only once on the application.

CASING AND TUBING DATA

NAME OF STRING	SIZE	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface 32.75#	10 3/4"	937'	450 SX	Surface	Returns
Intermediate	none				
Production 20#/23#	7"	6059'	900 SX	3454'	Temp. Survey
Tubing	2-3/8 or 2-7/8			Name - Type - Depth of Tubing Packer (5740')	
PB Total Depth 5945'		Geologic Name - Inj. Zone	Depth - Top of Inj. Interval	Depth - Base of Inj. Interval	
		Desert Creek Zone 1	5840	5929	

LOCATION: SUDE Sec 1-14S-22E
FIELD: GREATER ANTH
RESERVOIR: Desert Creek Zone I

WI COMPLETION: injector
PRESENT STATUS: conversion

RKB 5060'
GL 5049'

SURFACE CASING: 10 3/4"
32.75# H-40

Well # 7W34

PRODUCTION CASING: 7"
20#/23# N-80 J-55

937'

PERFORATIONS: _____
5840-50
5866-93
5899-5903
5914-29

PACKER: Baker model AB
Tension Type Pkr or Similar
set at 5740'

PBTD: 5945'
OTD: 6067'

6059'

Phillips Petroleum Company

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE
(Other instructions on
reverse side)

Form approved
Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. <input type="checkbox"/> OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Water Injector</u>		5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-368	
2. NAME OF OPERATOR Phillips Petroleum Company		6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO	
3. ADDRESS OF OPERATOR P.O. Box 2920, Casper, WY 82602		7. UNIT ASSIGNMENT NAME SW-I-4192	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 710' FSL, 2003' FEL SW SE API# 43-037-15989		8. NAME OF LEASE NAME Ratherford Unit	
14. PERMIT NO.		9. WELL NO. 7W34	
15. ELEVATIONS (Show whether SP, ST, GR, etc.) 5060' RKB		10. FIELD AND POOL, OR WILDCAT Greater Aneth	
		11. SEC., T., R., E., OR NE. AND SUFFIX OR AREA Sec. 7-T41S-R24E	
		12. COUNTY OR PARISH San Juan	
		13. STATE Utah	

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF ☐
FRACTURE TREAT ☐
SHOOT OR ACIDIZE ☐
REPAIR WELL ☐
(Other) ☐

PULL OR ALTER CASING ☐
MULTIPLE COMPLETE ☐
ABANDON* ☐
CHANGE PLANS ☐

SUBSEQUENT REPORT OF:

WATER SHUT-OFF ☐
FRACTURE TREATMENT ☐
SHOOTING OR ACIDIZING ☐
(Other) ☐

REPAIRING WELL ☐
ALTERING CASING ☐
ABANDONMENT* ☐

Convert to water injection ☒

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Sep. 13, 1986 through Sep. 30, 1986

MI WS 9/13/86. Set cmt retainer at 5935'. Sqzd w/30 sx cmt. Tested sqz, would not hold. Set retainer at 5750'. Sqzd w/26 sx cmt below retainer. Established injection 4-1/2 BPM at 1800 psi. Drld cmt to 5930'. Perforated 5840-50', 5866-71', 5872-93', 5899-5903, and 5912-22'. Acidized w/8400 gal 28% HCL. Ran 7" pkr and 2-3/8" Duoline tbg set at 5752'. RR 9/30/86. Prep to HU injection. HU to injection 10/6/86.

Production Before 13 BOPD, 0 BWPD
Injection After 114 BWPD @ 2050 psi

RECEIVED

AUG 4 1987

DIVISION OF OIL
GAS & MINING

4-BLM, Farmington, NM 1-Chieftain
2-Utah O&G CC, SLC, UT 1-Mobil Oil
1-M. Williams, B¹ville 1-Texaco, Inc.
1-J. Landrum, Denver 1-Chevron USA
1-J. Reno, Cortez 1-File RC

18. I hereby certify that the foregoing is true and correct

SIGNED

D. C. Gill
D. C. Gill

TITLE Area Manager

DATE

7/27/87

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPLICATE*
(Other instructions on re-
verse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. OIL ☐ GAS ☐ OTHER ☐ WATER INJECTION & WATER SUPPLY WELLS

2. NAME OF OPERATOR
PHILLIPS PETROLEUM COMPANY

3. ADDRESS OF OPERATOR
152 N. DURBIN, 2ND FLOOR, CASPER, WYOMING 82601

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*
See also space 17 below.)
At surface

SEE ATTACHED

14. PERMIT NO.

15. ELEVATIONS (Show whether DF, RT, etc.)

OIL, GAS & MINING

5. LEASE DESIGNATION AND SERIAL NO.

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

SW-I-4192

7. UNIT AGREEMENT NAME

RATHERFORD UNIT #7960041920

8. FARM OR LEASE NAME

9. WELL NO.

VARIOUS (see attached)

10. FIELD AND POOL, OR WILDCAT
GREATER ANETH

11. SEC., T., R., N., OR BLK. AND
SURVEY OR AREA

Sections 1 thru 30

T41S - R23E & 24E

12. COUNTY OR PARISH

San Juan

13. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PCLL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

(Other) CHANGE OF OWNERSHIP

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

(NOTE: Report results of multiple completion on Well
Completion or Recompletion Report and Log form.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

This is to advise all Water Injection and Water Supply Wells on the Ratherford Unit, listed on the attached sheet, were sold to Phillips Petroleum Company, effective August 1, 1985.

(former Operator - Phillips Oil Company)

3 - BLM, Farmington, NM
2 - Utah O&G CC, SLC, UT
1 - File

18. I hereby certify that the foregoing is true and correct

SIGNED

S. H. Oden

TITLE District Superintendent

DATE March 17, 1989

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUBMIT IN TRIPlicate
(Other instructions on
reverse side)

Budget Bureau No. 1004-0135
Expires August 31, 1985

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals.)

1. ☐ OIL WELL ☐ GAS WELL ☐ OTHER Water Injector

2. NAME OF OPERATOR

Phillips Petroleum Company

3. ADDRESS OF OPERATOR

P. O. Box 1150, Cortez, CO 81321

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.
See also space 17 below.)
At surface

710' FSL & 2003' FEL, SW SE

14. PERMIT NO.

43-037-15989

15. ELEVATIONS (Show whether SP, RT, OR, etc.)

5060' RKB

6. LEASE DESIGNATION AND SERIAL NO.

14-20-603-368

7. IF INDIAN, ALLOTTEE OR TRIBE NAME

Navajo

8. UNIT AGREEMENT NAME

SW-I-4192

9. FARM OR LEASE NAME

Ratherford Unit

10. WELL NO.

7W34

11. FIELD AND POOL, OR WILDCAT

Greater Aneth

12. SEC., T., R., N., OR ELM. AND SURVEY OR AREA

Sec. 7-T41S-R24E

13. COUNTY OR PARISH

San Juan

14. STATE

Utah

16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF

FRACTURE TREAT

SHOOT OR ACIDIZE

REPAIR WELL

(Other)

PCLL OR ALTER CASING

MULTIPLE COMPLETE

ABANDON*

CHANGE PLANE

SUBSEQUENT REPORT OF:

WATER SHUT-OFF

FRACTURE TREATMENT

SHOOTING OR ACIDISING

(Other) clean out well - IUC Test

(NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

REPAIRING WELL

ALTERING CASING

ABANDONMENT*

X ✓

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

March 26, 1990 Through March 28, 1990

MI & RU well service unit 3/26/90. ND WH, NU BOP. Rel 7" pkr & COOH w/inj tbg & pkr. GIH w/6-1/4" bit, 7" csg scraper, 7" brush & 2-3/8" workstring. Drld & cleaned out well to 5911' (could not go farther). COOH w/workstring. GIH w/7" Baker Lok-set pkr w/on-off tool and 178 jts 2-3/8" Rice duolined tbg, testing tbg to 3000 psi. OK. Set pkr at 5765'. Disengaged on-off tool. Pumped 211 bbls wtr containing 1 drum WA-840 Well Chem. Engaged on-off tool. ND BOP, NU WH. Pressured annulus to 1040 psi for 45 min for UIC test. Hooked up well to inj line. RD & MO well service unit and return well to injection 3/28/90.

Distribution:

5 - BLM, Farmington
2 - Utah O&GCC
1 - EPA, Denver
1 - N. Anstine
1 - V. S. Shaw
1 - S. H. Oden
1 - P. J. Konkell

1 - Chieftain
1 - Mobil Oil
1 - Texaco, Inc.
1 - Chevron
1 - PPCo, Houston
1 - PPCo, Cortez,

UIC	
GLH	✓
DJJ	
BGH	
COMPUTER	✓
MICROFILM	✓
FILE	

UIC	
GLH	✓
DJJ	
BGH	
COMPUTER	✓
MICROFILM	✓
FILE	

18. I hereby certify that the foregoing is true and correct

SIGNED

S. H. Oden

TITLE District Superintendent

DATE April 9, 1990

(This space for Federal or State office use)

APPROVED BY

CONDITIONS OF APPROVAL, IF ANY:

TITLE

DATE

*See Instructions on Reverse Side.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <u>Injection</u>	5. Lease Designation and Serial No. 14-20-603-368
2. Name of Operator Phillips Petroleum Company	6. If Indian, Allottee or Tribe Name Navajo Tribal
3. Address and Telephone No. 5525 Hwy 64 NBU 3004, Farmington, NM 87401 (505) 599-3412	7. If Unit or CA, Agreement Designation Ratherford Unit SW-I-4192
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Unit 0, 710' FSL & 2003' FEL Sec. 7, T41S, R24E	8. Well Name and No. Ratherford Unit #7W34
	9. API Well No. 43-037-15-989
	10. Field and Pool, or Exploratory Area Greater Aneth
	11. County or Parish, State San Juan, Utah

12. CHECK APPROPRIATE BOX(S) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back
	<input type="checkbox"/> Casing Repair
	<input type="checkbox"/> Altering Casing
	<input checked="" type="checkbox"/> Other <u>Acidized</u>
	<input type="checkbox"/> Change of Plans
	<input type="checkbox"/> New Construction
	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

12-4-91 thru 12-6-91

MI & RU Halliburton. Acidized perforations 5840'-5926' w/8000 gals 20% HCl.

RU CUDD Pressure Control coil tbg unit & N₂ unit. Jetted well w/N₂ and recovered 264 bbls (total load) plus 30 bbls. RD CUDD and returned well to injection.

RECEIVED

JAN 13 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed L. E. Robinson Title Sr. Drlg. & Prod. Engr. Date 1-8-92
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well <input type="checkbox"/> Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <u>Water Injection</u>	5. Lease Designation and Serial No. 14-20-603-368
2. Name of Operator Phillips Petroleum Company	6. If Indian, Allottee or Tribe Name Navajo Tribal
3. Address and Telephone No. 5525 Hwy 64 NBU 3004, Farmington, NM 87401 (505) 599-3412	7. If Unit or CA, Agreement Designation Ratherford Unit SW-I-4192
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Unit 0, 710' FSL & 2003' FEL Sec. 7, T41S, R24E	8. Well Name and No. Ratherford Unit #7W34
	9. API Well No. 43-037-15989
	10. Field and Pool, or Exploratory Area Greater Aneth
	11. County or Parish, State San Juan, Utah

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Abandonment	<input type="checkbox"/> Change of Plans
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Recompletion	<input type="checkbox"/> New Construction
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Plugging Back	<input type="checkbox"/> Non-Routine Fracturing
	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> Water Shut-Off
	<input type="checkbox"/> Altering Casing	<input type="checkbox"/> Conversion to Injection
	<input type="checkbox"/> Other _____	<input type="checkbox"/> Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

4-15-92 thru 4-20-92

MI & RU equipment. ND WH and NU BOP. COOH w/injection tbgs. Cleaned out to PBTD of 5930'. Circulated well clean. Pmpd 210 bbls H₂O w/1 drum WA-840 for pkr fluid. ND BOP and NU WH. Tested annulus to 1150 psi for 45 min for MIT - okay. Returned well to injection.

RECEIVED

APR 29 1992

DIVISION OF
OIL GAS & MINING

14. I hereby certify that the foregoing is true and correct

Signed L. E. Robinson Title Sr. Drlg. & Prod. Engr. Date 4-22-92
(This space for Federal or State office use)

Approved by _____ Title _____ Date _____
Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*See Instruction on Reverse Side

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

Page 1 of 10

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

P J KONKEL
PHILLIPS PETROLEUM COMPANY
5525 HWY 64 NBU 3004
FARMINGTON NM 87401

RECEIVED

AUG 16 1993

ACCOUNT NUMBER: N0772

REPORT PERIOD (MONTH/YEAR):

6 / 93

DIVISION OF
OIL, GAS & MININGAMENDED REPORT ☐ (Highlight Changes)

Well Name					Producing Zone	Well Status	Days Oper	Production Volumes		
API Number	Entity	Location						OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23										
4303713754	06280	41S	24E	21	DSCR	POW	29	1374	883	58
#3-44										
4303715031	06280	41S	24E	3	DSCR	POW	30	111	94	2905
#3-14										
4303715124	06280	41S	24E	3	DSCR	POW	30	67	23	302
#9-12										
4303715126	06280	41S	24E	9	DSCR	POW	30	112	654	17363
#9-14										
4303715127	06280	41S	24E	9	DSCR	POW	30	201	315	423
#28-12										
4303715336	06280	41S	24E	28	PRDX	POW	29	112	47	2428
#29-12										
4303715337	06280	41S	24E	29	PRDX	POW	29	56	0	672
#29-32										
4303715339	06280	41S	24E	29	DSCR	POW	29	1402	287	2224
#29-34										
4303715340	06280	41S	24E	29	DSCR	POW	29	757	48	0
#30-32										
4303715342	06280	41S	24E	30	DSCR	POW	29	588	1049	3744
#3-12										
4303715620	06280	41S	24E	3	DSCR	POW	30	268	11	363
#9-34										
4303715711	06280	41S	24E	9	DSCR	POW	30	45	46	9800
#10-12										
4303715712	06280	41S	24E	10	DSCR	POW	30	45	23	1088
TOTALS								5138	3480	41370

COMMENTS: Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box 633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge.

Date: 8/11/93

Name and Signature: PAT KONKEL

Pat Konkell

Telephone Number: 505 599-3452

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

Page 1 of 1

MONTHLY OIL AND GAS DISPOSITION REPORT

OPERATOR NAME AND ADDRESS:

L B Sheffield~~BRIAN BERRY~~~~M E P N A~~ MOBILPOB 219031 1807A RENTWR *P.O. DRAWER G*DALLAS TX 75221-9031 *CORTEZ, Co. 81321*UTAH ACCOUNT NUMBER: *N7370*REPORT PERIOD (MONTH/YEAR): *7 / 93*AMENDED REPORT ☐ (Highlight Changes)*X931006 updated. Jee*

ENTITY NUMBER	PRODUCT	GRAVITY	BEGINNING INVENTORY	VOLUME PRODUCED	DISPOSITIONS				ENDING INVENTORY
		BTU			TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	
05980	OIL			177609	177609	0			
	GAS			72101	66216	5885			
11174	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
	OIL								
	GAS								
TOTALS				249710	243825	5885			

COMMENTS:

PLEASE NOTE ADDRESS CHANGE. MOBIL ~~ASO~~ PRODUCTION REPORTS
Will be compiled and sent from the Cortez, Co. Office
IN THE FUTURE.

I hereby certify that this report is true and complete to the best of my knowledge.

Name and Signature:

L B Sheffield

Date:

9/5/93

Telephone Number:

303.565.2212
244.658.2528

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

<p align="center">SUNDRY NOTICES AND REPORTS ON WELLS</p> <p align="center">(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals.)</p>		5. LEASE DESIGNATION & SERIAL NO.
<p>1. OIL <input type="checkbox"/> GAS <input type="checkbox"/> OTHER <input type="checkbox"/></p>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME NAVAJO TRIBAL
2. NAME OF OPERATOR MOBIL OIL CORPORATION		7. UNIT AGREEMENT NAME RATHERFORD UNIT
3. ADDRESS OF OPERATOR P. O. BOX 633 MIDLAND, TX 79702		8. FARM OR LEASE NAME
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. See also space 17 below.) At surface At proposed prod. zone		9. WELL NO.
10. FIELD AND POOL, OR WILDCAT GREATER ANETH		11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
14. API NO.	15. ELEVATIONS (Show whether DF, RT, GR, etc.)	12. COUNTY SAN JUAN
		13. STATE UTAH

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

TEST WATER SHUT-OFF <input type="checkbox"/>	PULL OR ALTER CASING <input type="checkbox"/>
FRACTURE TREAT <input type="checkbox"/>	MULTIPLE COMPLETE <input type="checkbox"/>
SHOOT OR ACIDIZE <input type="checkbox"/>	ABANDON <input type="checkbox"/>
REPAIR WELL <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
(Other) <input type="checkbox"/>	

APPROX. DATE WORK WILL START _____

SUBSEQUENT REPORT OF:

WATER SHUT-OFF <input type="checkbox"/>	REPAIRING WELL <input type="checkbox"/>
FRACTURE TREATMENT <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
SHOOTING OR ACIDIZING <input type="checkbox"/>	ABANDONMENT* <input type="checkbox"/>
(Other) <u>CHANGE OF OPERATOR</u> <input type="checkbox"/>	
(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)	

DATE OF COMPLETION _____

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

* Must be accompanied by a cement verification report.

AS OF JULY1, 1993, MOBIL OIL CORPORATION IS THE OPERATOR OF THE RATHERFORD UNIT.
ATTACHED ARE THE INDIVIDUAL WELLS.

18. I hereby certify that the foregoing is true and correct.

SIGNED Shirley Dodd TITLE ENV. & REG TECHNICIAN DATE 9-8-93

(This space for Federal or State office use)

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

See Instructions On Reverse Side

Sept 29, 1993

TO: Lisha Cordova - Utah Mining
Oil & Gas

FROM: Janice Easley
BLM Farmington, NM
505 599-6355

Here is copy of Rutherford Unit
Successor Operator,

4 pages including this one.

File Ratherford Unit (GC)

RECEIVED
BLM

JUL 27 11:44

070 FARMINGTON, NM

Navajo Area Office
P. O. Box 1060
Gallup, New Mexico 87305-1060

ARES/543

JUL 26 1993


Mr. G. D. Cox
Mobil Exploration and
Producing North America, Inc.
P. O. Box 633
Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,



ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

MINERALS DIVISION
FILE NO. 1993
DATE 7/26/93
BY 3
3
2
ALL SUPV.
FILED

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF INDIAN AFFAIRS

DESIGNATION OF OPERATOR

RECEIVED
BLM

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702
Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number 05202782 (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

By: M. B. [Signature]
Attorney-in-Fact

Mobil Exploration and Producing
North America Inc.

June 11, 1993

By: B. D. [Signature]
Attorney-in-Fact B. D. MARTINY

[Signature] ACTING AREA DIRECTOR
APPROVED BY TITLE DATE
7/9/93

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3.

This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992
SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

<u>Tract Number</u>	<u>Description of Land</u>	<u>Serial Number and Effective Date of Lease</u>	<u>Tract Percentage Participation</u>
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-S, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 March 3, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	.4667669
6	NW/4 of Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8	SW/4 Sec. 9, T-41-S, R-24-E, S.L.M., San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-S, R-23-E, S.L.M., San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-S, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-S, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13	W/2 Section 14, T-41-S, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26, 1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	.5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	.5449292
18	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	.5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

100% Indian Lands

TOTAL 12,909.74

100.0000000

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ Well File _____☐ Suspense
(Return Date) _____
(To - Initials) _____☒ Other
OPERATOR CHANGE

_____(Location) Sec _____ Twp _____ Rng _____
(API No.) _____1. Date of Phone Call: 10-6-93 : Time: 9:302. DOGM Employee (name) L. CORDOVA (Initiated Call ☒
Talked to:Name GLEN COX (Initiated Call ☐ - Phone No. (915) 688-2114of (Company/Organization) MOBIL3. Topic of Conversation: OPERATOR CHANGE FROM PHILLIPS TO MOBIL "RATHERFORD UNIT".
(NEED TO CONFIRM HOW OPERATOR WANTS THE WELLS SET UP - MEPNA AS PER BIA APPROVAL
OR MOBIL OIL CORPORATION AS PER SUNDRY DATED 9-8-93?)4. Highlights of Conversation: _____
MR. COX CONFIRMED THAT THE WELLS SHOULD BE SET UNDER ACCOUNT N7370/MEPNA AS
PER BIA APPROVAL, ALSO CONFIRMED THAT PRODUCTION & DISPOSITION REPORTS WILL NOW
BE HANDLED OUT OF THEIR CORTEZ OFFICE RATHER THAN DALLAS.

MEPNA-

PO DRAWER G

CORTEZ, CO 81321

(303)565-2212

*ADDRESS CHANGE AFFECTS ALL WELLS CURRENTLY OPERATED BY MEPNA, CURRENTLY
REPORTED OUT OF DALLAS (MCELMO CREEK).

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING

OCT 25 1993

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5

Well name and number: _____	
Field or Unit name: <u>RATHERFORD UNIT</u>	API no. _____
Well location: QQ _____ section _____ township _____ range _____ county _____	
Effective Date of Transfer: <u>July 1, 1993</u>	
CURRENT OPERATOR	
Transfer approved by:	
Name <u>Ed Hasely</u>	Company <u>Phillips Petroleum Company</u>
Signature <u>Ed Hasely</u>	Address <u>5525 HWY. 64</u>
Title <u>Environmental Engineer</u>	<u>Farmington, NM 87401</u>
Date <u>October 22, 1993</u>	Phone (<u>505</u>) <u>599-3460</u>
Comments:	
NEW OPERATOR	
Transfer approved by:	
Name <u>Shirley Todd</u>	Company <u>Mobil Exploration & Producing North America</u>
Signature <u>Shirley Todd</u>	Address <u>P O Box 633</u>
Title <u>Env. & Reg. Technician</u>	<u>Midland, TX 79702</u>
Date <u>October 7, 1993</u>	Phone (<u>915</u>) <u>688-2585</u>
Comments:	
(State use only)	
Transfer approved by <u>[Signature]</u>	Title <u>UIC Manager</u>
Approval Date <u>10-27-93</u>	

Lisha Cordova (801) 538-5340

BEFORE THE OIL AND GAS CONSERVATION COMMISSION OF THE STATE OF UTAH

APPLICATION OF PHILLIPS PETROLEUM)
 COMPANY FOR THE APPROVAL OF THE)
 UNIT OPERATIONS AND PRESSURE MAIN-) CAUSE NO. 63
 TENANCE PROGRAM FOR THE RATHERFORD)
 UNIT IN THE GREATER ANETH AREA,)
 SAN JUAN COUNTY, UTAH)

ORDER

This Cause came on for hearing before the Oil and Gas Conservation Commission of the State of Utah at 10 o'clock a. m. on Wednesday, September 13, 1961, in the Crystal Room, Hotel Newhouse, Fourth South at Main Street, Salt Lake City, Utah, pursuant to notice duly and regularly given. The entire Commission, except Walter G. Mann, was present, Edward W. Clyde presiding. Appearances were made as follows: Cecil C. Hamilton, attorney, on behalf of Phillips Petroleum Company; Clair M. Senior, attorney, on behalf of Texaco, Inc.; Gordon Mayberry, attorney, on behalf of Continental Oil Company; R. R. Robison on behalf of Shell Oil Company. Others present included Carl Trawick, on behalf of United States Geological Survey; and J. R. White, on behalf of Texaco, Inc.

Evidence in support of the application was introduced by Phillips Petroleum Company, the applicant and Unit Operator of the Ratherford Unit, which embraces as the unit area the following described land in San Juan County, State of Utah, to wit:

TOWNSHIP 41 SOUTH, RANGE 23 EAST, SE1/4

Section 1:	All	Sections 12 and 13:	All
Section 2:	E/2	Section 14:	E/2
Section 11:	E/2	Section 24:	All

TOWNSHIP 41 SOUTH, RANGE 24 EAST, SE1/4

Section 3:	SW/4	Sections 15	All
Section 4:	S/2	through 21:	NE/4 and
Sections 5 through 9:	All	Section 22:	E/2 of the
Section 10:	S/2 and NE/4		SW/4
	and E/2 of NE/4	Section 23:	NE/4 and
Section 11:	S/2 of SW/4		E/2 of NE/4
			and W/2 of SW/4
Section 14:	E/2	Section 29 and 30:	All
		Section 31:	E/2
		Section 32:	E/2

R. R. Robison on behalf of Shell Oil Company stated that (as contemplated by paragraph No. 5 of the Commission's order of February 24, 1959, in Cause No. 17 authorizing the drilling of certain test wells) Shell would submit to the Commission, as arbiter, the question as between Shell and Superior Oil Company

of the monetary value, if any, to be attributed to three test wells drilled within the Ratherford Unit area pursuant to said order of February 24, 1959.

No objection to the granting of the application was filed or expressed. The Shell Oil Company, Texaco, Inc. and Continental Oil Company expressed their support of the application of Phillips Petroleum Company.

FINDINGS OF FACT

The Commission finds that:

1. The unitized operation of the Ratherford Unit Area will enable pressure maintenance operations to be initiated and permit such Area to be operated in a manner which will prevent waste, protect correlative rights and result in greater ultimate recovery of oil and gas.

2. The Ratherford Unit Agreement has been approved by the various signatory parties as fair, reasonable and acceptable.

3. The water injection pressure maintenance program proposed by the applicant appears to be proper and designed to result in the greatest economic recovery of oil and gas to the end that all concerned, including the general public, may realize and enjoy the greatest good from the oil and gas resources of the unitized lands.

ORDER

THEREFORE, IT IS ORDERED BY THE COMMISSION, and subject to its continuing jurisdiction, that:

1. Unit operation of the Ratherford Unit Area under the Ratherford Unit Agreement is approved.

2. The plan and program of water injection pressure maintenance operations proposed by applicant in its application filed herein should be and the same is hereby approved and the unit operator is authorized to proceed with and under such plan and program as soon as the Ratherford Unit Agreement becomes effective and operative.

3. If, at any time or from time to time, it appears necessary or desirable to the unit operator to alter or modify the hereby approved plan of pressure maintenance, any such alteration or modification shall be submitted for

and shall be subject to approval by the Commission or its delegated representative, which approval may be given without notice or hearing, unless otherwise ordered or directed by the Commission.

Dated this 13th day of September, 1961.


THE OIL AND GAS CONSERVATION
COMMISSION OF THE STATE OF UTAH


Edward W. Clyde, Commissioner presiding


C. R. Henderson, Chairman


M. V. Hatch, Commissioner


C. S. Thomson, Commissioner


Walter G. Mann, Commissioner

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Routing:

1	REC-47-93
2	DP-58-93
3	VLC
4	RJE
5	DP-58-93
6	PL

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☒ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator ☐ Operator Name Change Only

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 7-1-93)

TO (new operator) M E P N A
 (address) PO DRAWER G
CORTEZ, CO 81321
GLEN COX (915) 688-2114
 phone (303) 565-2212
 account no. N7370

FROM (former operator) PHILLIPS PETROLEUM COMPANY
 (address) 5525 HWY 64 NBU 3004
FARMINGTON, NM 87401
PAT KONKEL
 phone (505) 599-3452
 account no. N0772(A)

Well(s) (attach additional page if needed):

***RATHERFORD UNIT (NAVAJO)**

Name: **SEE ATTACHED**	API: <u>43037-15989</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- Sec 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form). (Reg. 8-20-93) (6/93 Prod. Rpt. 8-16-93)
- Sec 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form). (Reg. 8-31-93) (Rec'd 9-14-93)
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- Sec 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of Federal and Indian well operator changes should take place prior to completion of steps 5 through 9 below.
- Sec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 6. Cardex file has been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 7. Well file labels have been updated for each well listed above. (O&G wells 10-6-93) (Wiw's 10-26-93)
- Sec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (10-6-93)
- Sec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- Yes 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

- Yes 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
- N/A 2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving State leases.

FILMING

1. All attachments to this form have been microfilmed. Date: 11.17 1993.

FILING

- Yes 1. Copies of all attachments to this form have been filed in each well file.
- Yes 2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

931006 BIA/Btm Approved 7-9-93.

WELL #	API#	LEASE #	SEC., T, R	LOCATION OF WELL
✓01W-13	43-037-15838	14-20-603-246A	SEC. 1, T41S, R23E	NW/SW 1980 FSL; 660 FWL
✓01-14	43-037-31162	14-20-603-246A	SEC. 1, T41S, R23E	SW/SW 660 FSL; 660 FWL
✓01W-24	43-037-15839	14-20-603-246	SEC. 1, T41S, R23E	SE/SW 651 FSL; 3300 FEL
✓01-34	43-037-16385	14-20-603-246A	SEC. 1, T41S, R23E	SW/SE 4147 FNL; 1980 FEL
✓01W-44	43-037-15840	14-20-603-246A	SEC. 1, T41S, R23E	660 FSL; 661 FEL
✓02W-44	43-037-16386	14-20-603-246A	SEC. 2, T41S, R23E	SE/SE 810 FNL; 5110' FWL
✓03-14	43-037-15124	14-20-603-5445	SEC. 3, T41S, R24E	660 FSL; 660 FEL
✓03-12	43-037-15620	14-20-603-6506	SEC. 3, T41S, R24E	SW/NW 2140 FNL; 660 FWL
✓03W-42	43-037-16388	14-20-603-6505	SEC. 3, T41S, R24E	SW/NE 1980 FNL; 660 FEL
✓03-44	43-037-15031	14-20-603-6504	SEC. 3, T41S, R24E	520 FSL; 820 FEL
✓04-14	43-037-16163	14-20-603-5446	SEC. 4, T41S, R24E	500 FSL; 600 FEL
✓04-34	43-037-16164	14-20-603-4035	SEC. 4, T41S, R24E	660 FSL; 1980 FEL
✓05-34	43-037-15983	14-20-603-368	SEC. 5, T41S, R24E	SW/SE 612 FSL; 1990 FEL
✓05W-43	43-037-16392	14-20-603-368	SEC. 5, T41S, R24E	1400 FSL; 990 FEL
✓06W-14	43-037-15984	14-20-603-368	SEC. 6, T41S, R24E	SW/SW 660; FSL; 660 FWL
✓06W-23	43-037-16393	14-20-603-368	SEC. 6, T41S, R24E	1830 FSL; 1895 FWL
✓07-11	43-037-31163	14-20-603-368	SEC. 7, T41S, R24E	NW/NW 660 FNL; 710 FWL
✓07W-12	43-037-15985	14-20-603-368	SEC. 7, T41S, R24E	SW/NW 2140 FNL; 585 FWL
✓07-13	43-037-31164	14-20-603-368	SEC. 7, T41S, R24E	NW/SW 2110 FSL; 740 FWL
✓07W-14	43-037-15986	14-20-603-368	SEC. 7, T41S, R24E	SW/SW 1065 FSL; 660 FWL
✓07W-21	43-037-16394	14-20-603-368	SEC. 7, T41S, R24E	710 FNL; 1820 FWL
✓07-22	43-037-31165	14-20-603-368	SEC. 7, T41S, R24E	SE/NW 1980 FNL; 1980 FWL
✓07W-23	43-037-15987	14-20-603-368	SEC. 7, T41S, R24E	NE/SW 1980 FSL 1980 FWL
✓07-24	43-037-31166	14-20-603-368	SEC. 7, T41S, R24E	SE/SW 880 FSL; 2414 FWL
✓07W-32	43-037-15988	14-20-603-368	SEC. 7, T41S, R23E	SW/NE 1980 FNL; 1980 FEL
✓07-33	43-037-31167	14-20-603-368	SEC. 7, T41S, R24E	NW/SE 2105 FSL; 1876 FEL
✓07W-34	43-037-15989	14-20-603-368	SEC. 7, T41S, R24E	710 FSL; 2003 FEL
✓07W-41	43-037-15990	14-20-603-368	SEC. 7, T41S, R24E	NE/NE 585 FNL; 770 FEL
✓07W-43	43-037-16395	14-20-603-368	SEC. 7, T41S, R24E	2110 FSL; 660 FEL
✓07-44	43-037-31189	14-20-603-368	SEC. 7, T41S, R24E	SE/SE 737 FSL; 555 FEL
✓08-12	43-037-15991	14-20-603-368	SEC. 8, T41S, R24E	SW/NW 1909 FNL; 520 FWL
✓08W-14	43-037-15992	14-20-603-368	SEC. 8, T41S, R24E	745 FSL; 575 FWL
✓08-21	43-037-15993	14-20-603-368	SEC. 8, T41S, R24E	616 FNL; 1911 FWL
✓08-23	43-037-15994	14-20-603-368	SEC. 8, T41S, R24E	NE/NW 1920 FSL; 2055 FWL
✓08-32	43-037-15995	14-20-603-368	SEC. 8, T41S, R24E	SW/NE 1980 FNL; 1980 FEL
✓08-34	43-037-15996	14-20-603-368	SEC. 8, T41S, R24E	SW/SE 660 FSL; 1980 FEL
✓08-41	43-037-15997	14-20-603-368	SEC. 8, T41S, R24E	NE/NE 660 FNL; 660 FEL
✓08W-43	43-037-16396	14-20-603-368	SEC. 8, T41S, R24E	1980 FSL; 660 FEL
✓09W-23	43-037-16398	14-20-603-5046	SEC. 9, T41S, R24E	NW/SE 1980 FSL; 1980 FWL
✓09-12	43-037-15126	14-20-603-5045	SEC. 9, T41S, R24E	1865 FNL; 780 FWL
✓09W-21	43-037-16397	14-20-603-5045	SEC. 9, T41S, R24E	660 FNL; 2080 FWL
✓09-14A	43-037-15127	14-20-603-5046	SEC. 9, T41S, R24E	710 FSL; 660 FWL
✓09-32	43-037-16165	14-20-603-4035	SEC. 9, T41S, R24E	1980 FNL; 1980 FEL
✓09W-41	43-037-16399	14-20-603-4035	SEC. 9, T41S, R24E	660 FNL; 660 FEL
✓09W-43	43-037-16400	14-20-603-4043	SEC. 9, T41S, R24E	1980 FSL; 660 FEL
✓10W-23	43-037-16402	14-20-603-4043	SEC. 10, T41S, R24E	1980 FSL; 1980 FWL
✓10-14	43-037-15713	14-20-603-4043	SEC. 10, T41S, R24E	510 FSL; 710 FWL
✓10-12	43-037-15712	14-20-603-4043	SEC. 10, T41S, R24E	660 FWL; 1980 FNL
✓10W-21	43-037-16401	14-20-603-4043	SEC. 10, T41S, R24E	810 FNL; 1980 FWL
✓10-34	43-037-16166	14-20-603-4037	SEC. 10, T41S, R24E	620 FSL; 1860 FEL
✓10W-43	43-037-16403	14-20-603-4037	SEC. 10, T41S, R24E	1980 FSL; 550 FEL
✓11-41	43-037-31544	14-20-603-246A	SEC. 11, T41S, R23E	NE/NE 860 FNL; 350 FEL
✓11-42W	43-037-15841	14-20-603-246	SEC. 11, T41S, R23E	3290 FNL; 4617 FEL
✓11-43	43-037-31622	14-20-603-246A	SEC. 11, T41S, R23E	1980 FSL; 660 FEL
✓11W-44	43-037-15842	14-20-603-246A	SEC. 11, T41S, R23E	SE/SE 660 FSL; 558 FEL
✓12W-11	43-037-15843	14-20-603-246A	SEC. 12, T41S, R23E	NW/NW 678 FNL; 4620 FEL
✓12-12	43-037-31190	14-20-603-246A	SEC. 12, T41S, R23E	SW/NW 1850 FNL; 660 FWL
✓12W-13	43-037-16404	14-20-603-246A	SEC. 12, T41S, R23E	1980 FSL; 4620 FEL
✓12-14	43-037-15844	NA	SEC. 12, T41S, R23E	660 FNL; 4622 FWL
✓12-21	43-037-31201	14-20-603-246A	SEC. 12, T41S, R23E	NE/NW 660 FNL; 1980 FWL
✓12W-22	43-037-15845	14-20-603-246	SEC. 12, T41S, R23E	NA
✓12-23	43-037-15846	14-20-603-246A	SEC. 12, T41S, R23E	1958 FNL; 3300 FWL
✓12W-24	43-037-31151	14-20-603-246A	SEC. 12, T41S, R23E	775 FSL; 1980
✓12-32	43-037-31203	14-20-603-246A	SEC. 12, T41S, R23E	SW/NE 1820 FNL; 1820 FEL
✓12W-33	43-037-15848	14-20-603-246A	SEC. 12, T41S, R23E	NW/SE 1957 FSL; 1981 FEL
✓12-34	43-037-31126	14-20-603-246A	SEC. 12, T41S, R23E	SW/SE 675 FSL; 1905 FEL
✓12-41	43-037-15849	14-20-603-246A	SEC. 12, T41S, R23E	656 FNL; 660 FEL
✓12W-42	43-037-15850	14-20-603-246A	SEC. 12, T41S, R23E	3275 FSL; 662 FEL

PAID RECEIVED

SEP 15 1993

DIVISION OF
PAID OIL, GAS & MINING

PAID

PAID
PAID

14-20-603-246

SE NW 1920 FNL 2080 FWL

PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to:

☐ **Well File** _____

☐ **Suspense**
(Return Date) _____
(To - Initials) _____

☒ **Other**
OPER NM CHG _____

(Location) Sec _____ Twp _____ Rng _____

(API No.) _____

1. Date of Phone Call: 8-3-95 Time: _____

2. DOGM Employee (name) L. CORDOVA (Initiated Call ☐)
Talked to:

Name R. J. FIRTH (Initiated Call ☒) - Phone No. () _____

of (Company/Organization) _____

3. Topic of Conversation: M E P N A / N7370

4. Highlights of Conversation: _____

OPERATOR NAME IS BEING CHANGED FROM M E P N A (MOBIL EXPLORATION AND PRODUCING
NORTH AMERICA INC) TO MOBIL EXPLOR & PROD. THE NAME CHANGE IS BEING DONE AT
THIS TIME TO ALLEVIATE CONFUSION, BOTH IN HOUSE AND AMONGST THE GENERAL PUBLIC.

*SUPERIOR OIL COMPANY MERGED INTO M E P N A 4-24-86 (SEE ATTACHED).

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

Attach all documentation received by the division regarding this change.
 Initial each listed item when completed. Write N/A if item is not applicable.

- ☐ Change of Operator (well sold) ☐ Designation of Agent
☐ Designation of Operator **XXX** Operator Name Change Only

Routing	
1-LEC	7-PL
2-LWP	8-SJ
3-DTS	9-FILE
4-VLC	
5-RJF	
6-LWP	

The operator of the well(s) listed below has changed (EFFECTIVE DATE: 8-2-95)

TO (new operator) **MOBIL EXPLOR & PROD**
 (address) **C/O MOBIL OIL CORP**
PO DRAWER G
CORTEZ CO 81321
 phone (303) **564-5212**
 account no. **N7370**

FROM (former operator) **M E P N A**
 (address) **C/O MOBIL OIL CORP**
PO DRAWER G
CORTEZ CO 81321
 phone (303) **564-5212**
 account no. **N7370**

Well(s) (attach additional page if needed):

Name: ** SEE ATTACHED **	API: <u>037-15989</u>	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____
Name: _____	API: _____	Entity: _____	Sec _____	Twp _____	Rng _____	Lease Type: _____

OPERATOR CHANGE DOCUMENTATION

- N/A 1. (Rule R615-8-10) Sundry or other legal documentation has been received from former operator (Attach to this form).
- N/A 2. (Rule R615-8-10) Sundry or other legal documentation has been received from new operator (Attach to this form).
- N/A 3. The Department of Commerce has been contacted if the new operator above is not currently operating any wells in Utah. Is company registered with the state? (yes/no) ____ If yes, show company file number: _____.
- N/A 4. (For Indian and Federal Wells ONLY) The BLM has been contacted regarding this change (attach Telephone Documentation Form to this report). Make note of BLM status in comments section of this form. Management review of **Federal and Indian** well operator changes should take place prior to completion of steps 5 through 9 below.
- ec 5. Changes have been entered in the Oil and Gas Information System (Wang/IBM) for each well listed above. (8-3-95)
- WP 6. Cardex file has been updated for each well listed above. 8-21-95
- P 7. Well file labels have been updated for each well listed above. 9-28-95
- ec 8. Changes have been included on the monthly "Operator, Address, and Account Changes" memo for distribution to State Lands and the Tax Commission. (8-3-95)
- ec 9. A folder has been set up for the Operator Change file, and a copy of this page has been placed there for reference during routing and processing of the original documents.

ENTITY REVIEW

- See 1. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) no (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
- N/A 2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.

BOND VERIFICATION (Fee wells only)

** No Fee Lease Wells at this time!*

- N/A See 1. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. A copy of this form has been placed in the new and former operators' bond files.
3. The former operator has requested a release of liability from their bond (yes/no) . Today's date 19 . If yes, division response was made by letter dated 19 .

LEASE INTEREST OWNER NOTIFICATION RESPONSIBILITY

- N/A 1. (Rule R615-2-10) The former operator/lessee of any **fee lease** well listed above has been notified by letter dated 19 , of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
- N/A 2. Copies of documents have been sent to State Lands for changes involving **State leases**.

FILMING

- ✓ 1. All attachments to this form have been microfilmed. Date: October 4 1995.

FILING

1. Copies of all attachments to this form have been filed in each well file.
2. The original of this form and the original attachments have been filed in the Operator Change file.

COMMENTS

950803 UIC F5/Not necessary!

STATE OF UTAH
INVENTORY OF INJECTION WELLS

OPERATOR	API NO.	WELL	TNS	RGE	SE	WELLTYPE	INDIAN COUNT
*****	*****	*****	***	***	**	*****	*****
✓MEPNA (MOBIL	43-037-15506	L-21	41S	25E	18	INJW	Y
✓MEPNA (MOBIL	43-037-16358	K-24	41S	25E	18	INJW	Y
✓MEPNA (MOBIL	43-037-30400	K-22X	41S	25E	18	INJI	Y
✓MEPNA (MOBIL	43-037-15499	J-21	41S	25E	18	INJW	Y
✓MEPNA (MOBIL	43-037-15508	L-25	41S	25E	19	INJW	Y
✓MEPNA (MOBIL	43-037-15839	1W24	41S	23E	1	INJW	Y
✓MEPNA (MOBIL	43-037-15838	1W13	41S	23E	1	INJW	Y
✓MEPNA (MOBIL	43-037-16386	2W44	41S	23E	2	INJW	Y
✓MEPNA (MOBIL	43-037-15842	11W44	41S	23E	11	INJW	Y
✓MEPNA (MOBIL	43-037-15841	11W42	41S	23E	11	INJW	Y
✓MEPNA (MOBIL	43-037-15848	12W33	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15850	12W42	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15847	12W31	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-16404	12W13	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15845	12W22	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15843	12W11	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-31151	12W24	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-31543	RATERFORD 12	41S	23E	12	INJW	Y
✓MEPNA (MOBIL	43-037-15854	13W31	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-15851	13W13	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-15857	13W42	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-16407	13W44	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-15855	13W33	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-31152	13W11	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-15852	13W22	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-15853	13W24	41S	23E	13	INJW	Y
✓MEPNA (MOBIL	43-037-16410	14W43	41S	23E	14	INJI	Y
✓MEPNA (MOBIL	43-037-15860	14W43	41S	23E	14	INJW	Y
✓MEPNA (MOBIL	43-037-15863	24W42	41S	23E	24	INJW	Y
✓MEPNA (MOBIL	43-037-15862	24W31	41S	23E	24	INJW	Y
✓MEPNA (MOBIL	43-037-15984	6W14	41S	24E	6	INJW	Y
✓MEPNA (MOBIL	43-037-15988	7W32	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15990	7W41	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-16394	7W21	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15985	7W12	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15989	7W34	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15986	7W14	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-15987	7W23	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-16395	7W43	41S	24E	7	INJW	Y
✓MEPNA (MOBIL	43-037-16396	8W43	41S	24E	8	INJI	Y
✓MEPNA (MOBIL	43-037-15992	8W14	41S	24E	8	INJW	Y
✓MEPNA (MOBIL	43-037-16398	9W23	41S	24E	9	INJW	Y
✓MEPNA (MOBIL	43-037-16400	9W43	41S	24E	9	INJI	Y
✓MEPNA (MOBIL	43-037-16397	9W21	41S	24E	9	INJW	Y
✓MEPNA (MOBIL	43-037-16402	10W23	41S	24E	10	INJW	Y
✓MEPNA (MOBIL	43-037-16401	10W21	41S	24E	10	INJI	Y
✓MEPNA (MOBIL	43-037-16403	10W43	41S	24E	10	INJW	Y
✓MEPNA (MOBIL	43-037-16413	15W43	41S	24E	15	INJI	Y
✓MEPNA (MOBIL	43-037-16411	15W21	41S	24E	15	INJW	Y
✓MEPNA (MOBIL	43-037-16412	15W23	41S	24E	15	INJI	Y
✓MEPNA (MOBIL	43-037-16415	16W43	41S	24E	16	INJW	Y
✓MEPNA (MOBIL	43-037-15720	16W12	41S	24E	16	INJW	Y
✓MEPNA (MOBIL	43-037-15721	16W14	41S	24E	16	INJW	Y

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
Budget Bureau No. 1004-0135
Expires: March 31, 1993

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.
Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil Well

☐ Gas Well

☒ Other

INJECTOR

2. Name of Operator Mobil Exploration & Producing U.S. Inc.
as Agent for Mobil Producing TX & NM Inc.

3. Address and Telephone No.

P.O. Box 633, Midland, TX 79702

915-688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC. 7, T41S, R24E
710 FSL, 2003 FEL

5. Lease Designation and Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

7 W 34

9. API Well No.

43-037-15989

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

TYPE OF ACTION

☐ Abandonment

☐ Recompletion

☐ Plugging Back

☐ Casing Repair

☐ Altering Casing

☐ Other WORKOVER

☐ Change of Plans

☐ New Construction

☐ Non-Routine Fracturing

☐ Water Shut-Off

☐ Conversion to Injection

☐ Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHMENT

FOR RECORD ONLY
Oil, Gas and Mining
Accepted by the
Utah Division of

14. I hereby certify that the foregoing is true and correct

Signed

Shirley Robertson

Title ENV. & REG. TECHNICIAN

Date 12-07-95

(This space for Federal or State office use)

Approved by

John H. Andrews

Title

John H. Andrews

Date

12/12/95

Conditions of approval, if any:

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RATHERFORD UNIT 7-34

Justification: Well developed pressure on 7" casing and was shut in as required by EPA. This well directly supports 17 BOPD of pattern production.


Estimated Cost: \$40M No AFE required.

WORKOVER PROCEDURE

1. Lock and tag out all power sources. Check WHP. If well is not dead, RU pump and pump lines to injection head. Bullhead 40 bbls of 10 ppg brine into well to kill well.
2. MI workover rig. Bleed off casing pressure. ND injection head. NU and PT BOP's to 3000 psi high and 250 psi low. RU line from 7" casing annulus to flat bottom tank. Install adjustable choke in line.
3. Release Otis Interlok packer at 5751' and circulate hole to 10 ppg brine. POH laying down 2-3/8" Rice Duoline injection tubing. Representative from Rice Duoline to be on location to inspect tubing (1-800-345-7423).
4. RIH with bit and casing scraper for 7", 20/23 lb/ft casing on 2-7/8" workstring and CO to PBTD of 5930'. POH.
5. RIH with squeeze on 2-7/8" workstring and set at 5750'. PT casing to 1000 psi for 30 minutes. 5 percent leakoff or less is acceptable. Locate any casing leaks. POH.
6. If have casing leak, RU wireline unit. Set CIBP at 5750'. RIH open ended and spot 50 sxs class B cement containing 2 percent CaCl₂ across leak. Pull out of cement and reverse out. Bradenhead squeeze casing leak to 1000 psi. Stage cement as necessary. POH. RIH with mill and drill out cement. Retest to 1000 psi for 30 minutes. If PT OK, drill out CIBP and CO to PBTD at 5930'.
7. RIH with Guiberson 7" G-6 packer on previously pulled 2-3/8", 4.7 lb/ft Rice duoline tubing previously pulled from well. NOTE: If tubing can not be reused as per Rice Duoline inspection, run used 2-7/8" KCTS tubing.
8. ND BOP's. Install injection head. Reverse circulate kill weight packer fluid containing 1 percent by volume of Tretolite CRW137 corrosion inhibitor/oxygen scavenger.
9. Space out for 15,000 lbs compression at surface and set packer at +/- 5730'. NU and land injection head. RDMD workover rig.
10. Perform Mechanical Integrity Test (MIT) for EPA. Contact Jim Walker of the Navajo EPA in Shiprock at 505/268-1040 to witness. Use chart recorder to record test. Send copies of chart to Shirley Todd, Midland - 1206 MOB, Ed Barber, Aneth, and Aneth files. Fill out Utah tax credit form and send to Tiny Higman, Cortez office. After obtaining an acceptable MIT, place well on water injection on maximum choke.

RATHERFORD UNIT 7-34
 GREATER ANETH FIELD UTAH
 710 FSL & 2003' FEL
 SEC 7 T41S R24E
 SAN JUAN COUNTY UTAH
 API 43-037-15989
 PRISM 0042949

WIW



L. BERNHARDT 2/27/94

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.

Use "APPLICATION FOR PERMIT - " for such proposals

SUBMIT IN TRIPLICATE

1. Type of Well

☐ Oil
Well

☐ Gas
Well

☒ Other

INJECTOR

2. Name of Operator

Mobil Exploration & Producing U.S. Inc.
as Agent for Mobil Producing TX & NM Inc.

3. Address and Telephone No.

P.O. Box 633, Midland, TX 79702 (915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC. 7, T41S, R24E
710 FSL, 2003' FEL

FORM APPROVED

Budget Bureau No. 1004-0135

Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA, Agreement Designation

RATHERFORD UNIT

8. Well Name and No.

RATHERFORD 7 W 34

9. API Well No.

43-037-15989

10. Field and Pool, or exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

☐

Notice of Intent

☒

Subsequent Report

☐

Final Abandonment Notice

TYPE OF ACTION

☐

Abandonment

☐

Recompletion

☐

Plugging Back

☐

Casing Repair

☐

Altering Casing

☒

Other

WORKOVER

☐

Change of Plans

☐

New Construction

☐

Non-Routine Fracturing

☐

Water Shut-Off

☐

Conversion to Injection

☐

Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRU, POOH W/ 177 JTS & RIH W/ 185 JTS & SET @ 5730', LOAD CSG & PRES TEST TO 1100# PSI F/ 30 MIN & HELD. RIH W/ BIT & CS TO 5930' (PBD). RIH W/ TBG, CIRC 220 BBLS PKR FLUID, PKR @ 5697' IN PRES TEST CSG TO 1100# PSI & HELD. RDMO.

14. I hereby certify that the foregoing is true and correct

Signed

Shirley Robertson

Title

ENV. & REG. TECHNICIAN

Date

04-10-96

(This space for Federal or State office use)

Approved by

Title

Date

Conditions of approval, if any:

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

FORM APPROVED
Budget Bureau No. 1004-0135
Expires November 30, 2000

5. Lease Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.

RATHERFORD UNIT

8. Well Name and No.

RATHERFORD 7-W-34

9. API Well No.

43-037-15989

10. Field and Pool, or Exploratory Area

GREATER ANETH

11. County or Parish, State

SAN JUAN UT

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

MOBIL PRODUCING TX & NM INC.*
*MOBIL EXPLORATION & PRODUCING US INC. AS AGENT FOR MPTM

3a. Address

P.O. Box 633, Midland TX 79702

3b. Phone No. (include area code)

(915) 688-2585

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

SEC. 7, T41S, R24E
710' FSL & 2003' FEL

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION


- ☒ Notice of Intent
☐ Subsequent Report
☐ Final Abandonment Notice

TYPE OF ACTION

- ☐ Acidize ☐ Deepen ☐ Production (Start/Resume) ☐ Water Shut-Off
☐ Alter Casing ☐ Fracture Treat ☐ Reclamation ☐ Well Integrity
☐ Casing Repair ☐ New Construction ☐ Recomplete ☒ Other
☐ Change Plans ☐ Plug and Abandon ☐ Temporarily Abandon
☐ Convert to Injection ☐ Plug Back ☐ Water Disposal

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the final site is ready for final inspection.)

SECHEDULED MIT & CHART ATTACHED.



14. I hereby certify that the foregoing is true and correct

Name (Printed/Typed)

Shirley Houchins for

Title

SHIRLEY HOUCHINS/ENV & REG TECH

Date

8-25-99

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on reverse)

ANNULAR PRESSURE TEST

(Mechanical Integrity Test)

Operator MOBIL E.P., INC. Date of Test 8-13-99
Well Name RATHERFORD UNIT WELL #7W-34 EPA Permit No. _____
Location SEC 7, T41S, R24E Tribal Lease No. 142060.3368
State and County SAN JUAN COUNTY, UTAH

Continuous Recorder? YES ☒ NO ☐ Pressure Gauge? YES ☒ NO ☐
Bradenhead Opened? YES ☐ NO ☒ Fluid Flow? YES ☐ NO ☒

TIME	ANNULUS PRESSURE, psi		TUBING PRESSURE, psi
	0-1500 psi gauge	0-1500 psi recorder	0-5000 psi gauge
8:44 Am	1130	1159	2570
8:49 Am	1125	1150	2570
8:54 Am	1125	1149	2570
8:59 Am	1125	1148	2570
9:04 Am	1121	1145	2570
9:09 Am	1121	1145	2570
9:14 Am	1121	1145	2570

MAX. INJECTION PRESSURE: 3000 PSI
MAX. ALLOWABLE PRESSURE CHANGE: 56.50 PSI (TEST PRESSURE X 0.05)
REMARKS: Passed? Failed? If failed, cease injection until well passes MIT (40CFR§144.21(c)(6)).

No bradenhead.

Injecting-active.

New gauge on annulus, out of box.


PASSED MIT

Carroll Blackguy Melvin K. Clah
COMPANY REPRESENTATIVE: (Print and Sign)

8-13-99
DATE

MELVINA K. CLAH Melvin K. Clah
INSPECTOR: (Print and Sign)

8-13-99
DATE



GRAPHIC CONTROLS CORPORATION
BUFFALO, NEW YORK
MOBILE T.P., INC.
CHART NO. MC MP-1500
RATHERFORD VINTWELL #7W-34
METER Passed
MIT
CHART PUT ON 8:44 AM
TAKEN OFF 9:14 AM
LOCATION Sec 7, T41S, R24E
REMARKS MKC, LB.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
*Do not use this form for proposals to drill or to re-enter an
Abandoned well. Use Form 3160-3 (APD) for such proposals.*

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well
☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator
Mobil Producing TX & NM Inc*
*Mobil Exploration & Producing US Inc as agent for MPTM

3a. Address
P.O. Box 4358, Houston, TX 77210-4358

3b. Phone No. (include area code)
713-431-1022

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See Attached Listing

5. Lease Serial No.

See Attached Listing

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.
Ratherford Unit

8. Well Name and No.
See Attached Listing

9. API Well No.
See Attached Listing

10. Field and Pool, or Exploratory Area
Greater Aneth

11. County or Parish, State
San Juan, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection)

Mobil Exploration & Producing US Inc. as agent for Mobil Producing Texas & New Mexico Inc. & Mobil Exploration & Producing North America Inc. requests authorization to pull the injection equipment, change out the wellheads and return the wells to injection. We plan to replace the 2,000 psi wellheads with 5,000 psi wellheads.

See Attached Listing of Wells.

COPY SENT TO OPERATOR

Date: 9-19-00
Initials: [Signature]

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)
Mark Del Pico

Title Regulatory Sepcialist

Signature

Date 9/12/00

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Office

ACCEPTED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 9-18-00
[Signature]

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Federal Approval Of This
Action Is Necessary

Attached Listing of Ratherford Wells

Well Name Number	API Number	Federal Lease #	Sec T R	Location
Ratherford 7-W-34	43-037-15989	14-20-603-368	07 - T41S - R24E	710 FSL / 2003 FEL
Ratherford 11-W-42	43-037-15841	14-20-603-246	11 - T41S - R23E	3290 FLS / 4617 FWL
Ratherford 12-W-11	43-037-15843	14-20-603-246A	12 - T41S - R23E	678 FNL / 4620FEL
Ratherford 13-W-22	43-037-15852	14-20-603-247A	13 - T41S - R23E	1988 FNL / 3300 FEL
Ratherford 13-W-31	43-037-15854	14-20-603-247A	13 - T41S - R23E	660 FNL / 1980 FEL
Ratherford 16-W-42	43-037-15720	14-20-603-355	16 - T41S - R24E	1880 FNL / 660 FWL
Ratherford 20-W-21	43-037-16423	14-20-603-353	20 - T41S - R 24E	600 FNL / 1880 FWL
Ratherford 24-W-31	43-037-15862	14-20-603-247A	24 - T41S - R23E	560 FNL / 1830 FEL
Ratherford 29-W-21	43-037-16432	14-20-603-407	29 - T41S - R24E	662 FNL / 2122 FWL

SUB SURFACE MAINTENANCE PROGRAM

WELL NO : Ratherford 7W34 / API # 43-037-15989

SEC 7 - T41S - R24E

San Juan County, Utah

To pull injection equipment, change out wellhead, and return well to injection.

This well work is being done because there has been a process step change in injection pressure. It appears that over the injection life of this well, the injection pressure has increased from 2000psi to 3000psi. For this reason, the wellhead needs to be upgraded to handle the additional pressure increase and reduce the possibility of a pressure release (SHE hazard) at the surface.

GENERAL PROCEDURES

- (1) Prior to MIRU PU, MIRU perf company and perforate tbg at approximately 5700'. Circ calculated kill fluid down the casing and up the tbg to establish well control.
*Note - The well may already have been killed with calculated KWM prior to step 1.***
- (2) MIRU PU. Pick up on tbg and LD 1st joint. PU compression set pkr (storm valve) and RIH and set in compression. Monitor the well for pressure for a least one hour.**
- (3) Once well control has been re-confirmed, proceed to spear production csg hanger and relieve tension.**
- (4) Proceed to cut off lower csg head and weld on the 5000psi replacement wellhead.**
- (5) NU BOP/Hydril. Pick up pkr setting joint and left-handed thread and retrieve pkr (storm valve).**
- (6) MIRU Campbell's tbg testers.**
- (7) Release pkr and POOH hydrotesting each joint and LD first joint and SB remaining 181jts of 2 3/8" Duoline tbg and LD all joints that fail 3500psi test.**
- (8) LD 7" x 2 3/8" Baker Lok-Set pkr.**
- (9) RDMO Campbell tbg testers.**
- (10) PU redressed 1.781" profile w/ pump out plug, 7" x 2 3/8" pkr, and 7" x 2 3/8" on/off tool. RIH on " tbg.**
- (11) Set pkr @5751' +/- 10' and test to 1000psi.**
- (12) Release on/off tool, circ. Pkr. Fluid (249bbls of freshwater w/ 105gal of Baker Petrolite CRW 132F) latch on to pkr.
*Note - Volume based on a pkr setting depth of 5751' + 10% of total volume.***

Continued

(13) ND BOP/Hydril, NU WH.

Note – Call ahead (at least 48hrs prior to testing) to the Navajo EPA and BLM so that they have time to find a witness for the MIT test if needed once the injection string is run back in. The backside should be tested to 1000psi with no more than a 5% loss in 30minutes if a successful test is to be obtained. The test should be charted and an original copy sent to Ellen Carroll (713-431-1197) in Houston, Tx.

(14) Test tbg to 1200 psi and pump-out plug.

(15) Clean location RDMO PU.

Rutherford 7-W-34

WELL ID

API # 43-037-15989

SEC 7-T41S-R24E

OVERALL OBJECTIVE:

- (1) Kill well
- (2) Pull equipment and switch out wellhead
- (3) RIH w/ plug, pkr, on/off tool and tbg

Surface Csg - 10 3/4", 32#,
951' w/ 450sx

2 3/8" Duolined Tbg

Surface Csg Shoe @951'

EXISTING EQUIPMENT

Run time - 4/20/92

Approx 182jts of 2 3/8"
Duolined tbg
7" x 2 3/8" Baker Lok-
Set pkr @5751'

COMPLETION DATE: _____
TOTAL COST: _____

NEW EQUIPMENT INFO

New 5000psi wellhead
Approx 182jts of 2 3/8"
Duoline tbg
7" x 2 3/8" on/off tool
7" x 2 3/8" Baker Lok-set
pkr
1.781" profile w/ plug

TOC 3454'

5 1/2" x 2 3/8" Baker Lok-set pkr @5751'

Perfs

5840'-5850'

5866'-5893'

5899'-5903'

5912'-5922'

5923'-5927' sqz'd off

Drilled cmt to 5930'

Cmt Ref 5936'

Cmt Ref 5945'

7", 20#, 23#, J55, N80
@6067' w/ 900sx

5952'-5973' sqz'd off
5988'-6006' sqz'd off

PBTD - 6024'
TD 6067'

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other Instructions on reverse side

1. Type of Well

☐ Oil Well ☐ Gas Well ☒ Other

2. Name of Operator

Exxon Mobil Corporation

3a. Address **P.O. Box 4358**

Houston

TX 77210-4358

3b. Phone No. (include area code)

(713) 431-1197

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

710' FSL & 2003' FEL

Sec 7 T41S R24E

5. Lease Serial No.

14-20-603-368

6. If Indian, Allottee or Tribe Name

NAVAJO TRIBAL

7. If Unit or CA/Agreement, Name and/or No.

RATHERFORD UNIT

8. Well Name and No.

Ratherford Unit

7W34

9. API Well No.

43-037-15989

GREATER ANETH

11. County or Parish, State

SAN JUAN

UT

12. CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other Replace wellhead
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including recalculation, have been completed, and the operator has determined that the site is ready for final inspection.)

Attached is a summary of work performed on Ratherford Unit #7W34 from 5/10/01 to 5/19/01. The wellhead was replaced on this well.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kim Lynch

Title

Sr. Staff Office Assistant

Signature

Kim Lynch

Date

06/04/2001

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on Reverse)

Ratherford Unit 7W34
San Juan, Utah
14-20-603-368

- 5/10/01 MIRU WSU. Spot equipment. RU W/L to perforate the tubing. Could not go down. SION.
- 5/11/01 SITP = 300 CP = 0 psi. RU W/L and RIH. Perforate tubing and POOH. RD W/L. SION
- 5/14/01 SITP = 1300, SICP = 1300. RU and circulate 210 bbls of 15 ppg KWF. ND flowlind. Attempt to release the tbg. Head cap. No luck. Had to get a welder and heat up the cap. Screw on flange and NU BOPE. Release packer and POOH; with 19 joints. NOTE: Packer identified in procedure was incorrect. We believe it to be a G-6 or similar packer not a lockset as identified.
- 5/15/01 SITP = 0 CP = 125. Bleed off well. Casing still wants to flow. Wait on mud man to build heavier KWF.
- 5/16/01 SITP = 300psi, SICP = 300 psi. RU and pump 220 bbls of 16 ppg mud. Well dead. POOH with 157 joints (176 total) and packer. RU tubing testers and make up BHA. RIH with kill string. SION
- 5/17/01 SITP = 575 psi. Bled off and RIH with 50 joints. Load tubing and continued in hole. Set packer and 'J' off of on/off tool. NDBOP and tubing head. Wrong double stud. NU head and BOP. SION
- 5/18/01 Open well. 0 tp/cp. ND BOP and WH. Install double stud adapter and test to 100 psi. good. NUBOPE. Lay down storm packer and 'J' onto on/off tool. Calculated the subs needed and got off of the on/off tool. Added subs and rolled the hole with packer fluid.
- 5/19/01 0 psi tp/cp. NDBOPE and install new injection tree. Test casing to 1000 psi. Held good. Field to perform final MIT with Navajo EPA. RDWSU MO. Final BHA as follows: 2 3/8" W/L re-entry guide, 1/43 'R' nipple, 6' ss sub, 7" G-6 PC packer, on/off tool w/ 1.50 'F' profile, 174 joints of 2 3/8" Duolined tubing, 1 ea. 4'-6'-8-10' subs, 1 2 3/8" landing joint. Packer depth is 5696'.

ExxonMobil Production Company
U.S. West
P.O. Box 4358
Houston, Texas 77210-4358

June 27, 2001

ExxonMobil
Production

Mr. Jim Thompson
State of Utah, Division of Oil, Gas and Mining
1549 West North Temple
Suite 1210
Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.


Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Very truly yours,



Charlotte H. Harper
Permitting Supervisor

ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

RECEIVED

JUN 29 2001

DIVISION OF
OIL, GAS AND MINING



IN REPLY REFER TO:

United States Department of the Interior

BUREAU OF INDIAN AFFAIRS

XXXXXXXXXXXXXXXXXXXX

Navajo Area Office
NAVAJO REGION

P.O. Box 1060

Gallup, New Mexico 87305-1060

AUG 30 2001

RRES/543

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor
Exxon Mobil Production Company
U. S. West
P. O. Box 4358
Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

DENNETT DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures ✓
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

MINERAL RESOURCES	
ADM 1	<i>DB/MC</i>
NATV AM MIN COORD	
SOLID MIN TEAM	
PETRO REPORT TEAM <i>2</i>	
O & G INSPECT TEAM	
ALL TEAM LEADERS	
LAND RESOURCES	
ENVIRONMENT	
FILES	

ExxonMobil Production Company

U.S. West

P.O. Box 4358

Houston, Texas 77210-4358


PS 7/12/01
543
File

June 27, 2001

Certified Mail

Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

ExxonMobil
Production

Change of Name -
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.


Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-. Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper
Permitting Supervisor

Attachments



ExxonMobil Production Company
a division of Exxon Mobil Corporation,
acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Isasi

Bureau of Indian Affairs
Navajo Region Office
Attn: RRES - Mineral and Mining Section
P.O. Box 1060
Gallup, New Mexico 87305-1060

Gentlemen:

The current listing of officers and director of ExxonMobil Oil Corporation (Name of Corporation), of New York (State) is as follows:

OFFICERS

President	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Vice President	<u>K.T. Koonce</u>	Address <u>800 Bell Street Houston, TX 77002</u>
Secretary	<u>F.L. Reid</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Treasure	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>

DIRECTORS


Name	<u>D.D. Humphreys</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>P.A. Hanson</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>T.P. Townsend</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>B.A. Maher</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>
Name	<u>F.A. Risch</u>	Address <u>5959 Las Colinas Blvd. Irving, TX 75039</u>


Sincerely,



Alex Correa

This is to certify that the above information pertaining to ExxonMobil Oil Corporation (Corporation) is true and correct as evidenced by the records and accounts covering business for the State of Utah and in the custody of Corporation Service Company (Agent), Phone: 1 (800) 927-9800, whose business address is One Utah Center, 201 South Main Street, Salt Lake City, Utah 84111-2218




Signature
AGENT AND ATTORNEY IN FACT
Title

SAL

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;


FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.


WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.


Assistant Secretary

COUNTY OF DALLAS)
STATE OF TEXAS)
UNITED STATES OF AMERICA)

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.


Notary Public



LISTING OF LEASES OF MOBIL OIL CORPORATION**Lease Number**

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451

6/1/01

CHUBB GROUP OF INSURANCE COMPANIES

1000 West Loop South, Suite 1400, Houston, Texas 77027-3301
Houston, TX 77027-4600 • Fax: (713) 297-4750

NW Bond

FEDERAL INSURANCE COMPANY RIDER
to be attached to and form a part of

BOND NO 8027 31 97

wherein

Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior
Bureau of Indian Affairs

in the amount of \$150,000.00

bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001
the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Oil Corporation

By :

FEDERAL INSURANCE COMPANY

By:

Mary Pierson
Mary Pierson, Attorney-in-fact

**Chubb
Surety****POWER
OF
ATTORNEY****Federal Insurance Company
Vigilant Insurance Company
Pacific Indemnity Company****Attn.: Surety Department
15 Mountain View Road
Warren, NJ 07059**

Know All by These Presents, That **FEDERAL INSURANCE COMPANY**, an Indiana corporation, **VIGILANT INSURANCE COMPANY**, a New York corporation, and **PACIFIC INDEMNITY COMPANY**, a Wisconsin corporation, do each hereby constitute and appoint **R.F. Bobo, Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----**

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or altering the same, and consents to the modification or alteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secretary

Frank E. Robertson, Vice President

STATE OF NEW JERSEY } ss.
County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**; and that he signed said Power of Attorney as Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be Vice President of said Companies; and that the signature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, and was thereto subscribed by authority of said **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** in the presence of me, the Notary Public.



Notary Public State of New Jersey
No. 2231647

Commission Expires Oct 28, 2004

Karen A. Price

Notary Public

Extract from the By-Laws of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY**:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by facsimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys-in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of **FEDERAL INSURANCE COMPANY**, **VIGILANT INSURANCE COMPANY**, and **PACIFIC INDEMNITY COMPANY** (the "Companies") do hereby certify that

- (i) the foregoing extract of the By-Laws of the Companies is true and correct,
- (ii) the Companies are duly licensed and authorized to transact surety business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is licensed in American Samoa, Guam, and each of the Provinces of Canada except Prince Edward Island; and
- (iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seals of said Companies at Warren, NJ this 12th day of June, 2001



Kenneth C. Wendel, Assistant Secretary

IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY
Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

CSC

5184334741

06/01 '01 08:46 NO.410 03/05

CSC

06/01 '01 09:06 NO.135 02/04

F010601000187

CERTIFICATE OF AMENDMENT
OF
CERTIFICATE OF INCORPORATION
OF
MOBIL OIL CORPORATION

CSC 45

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby certify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

(a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:

"1st The corporate name of said Company shall be,
ExxonMobil Oil Corporation",

(b) Article 7th of the Certificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC
CSC

5184334741

06/01 '01 08:47 NO.410 04/05
06/01 '01 09:06 NO.133 03/04

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to vote on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.


F. A. Risch, President

STATE OF TEXAS)
COUNTY OF DALLAS)


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.


F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 22nd day of May, 2001.

[SEAL]


NOTARY PUBLIC, STATE OF TEXAS



=> CSC

.TEL=5184334741

06/01'01 08:19

CSC
CSC


5184334741

06/01 '01 09:01 NO. 411 02/02
06/01 '01 09:08 NO. 133 04/04
F010601000187**CSC 45****CERTIFICATE OF AMENDMENT****OF****MOBIL OIL CORPORATION**

Under Section 805 of the Business Corporation Law

*SAC***STATE OF NEW YORK
DEPARTMENT OF STATE**Filed by: EXXONMOBIL CORPORATION
(Name)

FILED JUN 01 2001

5959 Las Colinas Blvd.
(Mailing address)TAX \$
BY: *SAC*Irving, TX 75039-2298
(City, State and Zip code)*ny Albany**Cust Ref # 165578 MPJ***010601000195**

=> CSC

TEL=5184334741

06/01'01 08:19

State of New York }
Department of State } ss:

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on **JUN 01 2001**



Special Deputy Secretary of State

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:

06-01-2001

FROM: (Old Operator):

MOBIL EXPLORATION & PRODUCTION

Address: P O BOX DRAWER "G"

CORTEZ, CO 81321

Phone: 1-(970)-564-5212

Account No. N7370

TO: (New Operator):

EXXONMOBIL OIL CORPORATION

Address: U S WEST P O BOX 4358

HOUSTON, TX 77210-4358

Phone: 1-(713)-431-1010

Account No. N1855

CA No.

Unit: RATHERFORD

WELL(S)

NAME	SEC TWN RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
RATHERFORD 14-W-42	14-41S-23E	43-037-15860	6280	INDIAN	WI	A
RATHERFORD UNIT 14-31	14-41S-23E	43-037-31717	6280	INDIAN	WI	A
24-31	24-41S-23E	43-037-15862	6280	INDIAN	WI	A
24-42	24-41S-23E	43-037-15863	6280	INDIAN	WI	A
6-14	06-41S-24E	43-037-15984	6280	INDIAN	WI	A
7-12	07-41S-24E	43-037-15985	6280	INDIAN	WI	A
7-14	07-41S-24E	43-037-15986	6280	INDIAN	WI	A
7-34	07-41S-24E	43-037-15989	6280	INDIAN	WI	A
NAVAJO B41-7 (RATHERFORD 7-41)	07-41S-24E	43-037-15990	99990	INDIAN	WI	A
8-14	08-41S-24E	43-037-15992	6280	INDIAN	WI	A
RATHERFORD 8W43	08-41S-24E	43-037-16396	99996	INDIAN	WI	A
NAVAJO B-5 (RATHERFORD 9-43)	09-41S-24E	43-037-16400	99990	INDIAN	WI	I
NAVAJO B-6 (RATHERFORD 10W21)	10-41S-24E	43-037-16401	99990	INDIAN	WI	I
NAVAJO B-2 (RATHERFORD 10W23)	10-41S-24E	43-037-16402	99990	INDIAN	WI	I
NAVAJO W-2 (RATHERFORD 10W43)	10-41S-24E	43-037-16403	99990	INDIAN	WI	I
NAVAJO A-11 (RATHERFORD 15W21)	15-41S-24E	43-037-16411	99990	INDIAN	WI	I
NAVAJO A-19 (RATHERFORD 15W23)	15-41S-24E	43-037-16412	99990	INDIAN	WI	I
NAVAJO A-24 (RATHERFORD 15W43)	15-41S-24E	43-037-16413	99990	INDIAN	WI	I
16-12	16-41S-24E	43-037-15720	6280	INDIAN	WI	A
16-14	16-41S-24E	43-037-15721	6280	INDIAN	WI	A

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 06/29/2001
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 06/29/2001
3. The new company has been checked through the **Department of Commerce, Division of Corporations Database** on: 04/09/2002
4. Is the new operator registered in the State of Utah: YES Business Number: 579865-0143
5. If **NO**, the operator was contacted on: N/A

6. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BIA-06/01/01

7. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: 06/01/2001

8. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: N/A

9. **Underground Injection Control ("UIC")**

The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A

NOTE: EPA ISSUES UIC PERMIT

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 04/10/2002
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 04/10/2002
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: N/A

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: N/A

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: 80273197

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number N/A
2. The **FORMER** operator has requested a release of liability from their bond on: N/A
The Division sent response by letter on: N/A

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A

COMMENTS:

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET

ROUTING

1. DJJ

2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

6/1/2006

FROM: (Old Operator):

N1855-ExxonMobil Oil Corporation

PO Box 4358

Houston, TX 77210-4358

Phone: 1 (281) 654-1936

TO: (New Operator):

N2700-Resolute Natural Resources Company

1675 Broadway, Suite 1950

Denver, CO 80202

Phone: 1 (303) 534-4600

CA No.

Unit:

RATHERFORD (UIC)

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 4/21/2006
2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 4/24/2006
3. The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/7/2006
4. Is the new operator registered in the State of Utah: YES Business Number: 5733505-0143
5. If **NO**, the operator was contacted on: _____
- 6a. (R649-9-2) Waste Management Plan has been received on: requested
- 6b. Inspections of LA PA state/fee well sites complete on: n/a
- 6c. Reports current for Production/Disposition & Sundries on: ok
7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM n/a BIA not yet
8. **Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: not yet
9. **Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: n/a
10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, **Transfer of Authority to Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 6/12/2006

DATA ENTRY:

1. Changes entered in the **Oil and Gas Database** on: 6/22/2006
2. Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 6/22/2006
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: 6/22/2006
6. Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: n/a
2. Indian well(s) covered by Bond Number: PA002769
3. (R649-3-1) The **NEW** operator of any fee well(s) listed covered by Bond Number n/a
- a. The **FORMER** operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

4. (R649-2-10) The **FORMER** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

UIC FORM 5

TRANSFER OF AUTHORITY TO INJECT

Well Name and Number See attached list		API Number Attached
Location of Well		Field or Unit Name Ratherford Unit
Footage: See attached list	County: San Juan	Lease Designation and Number See attached list
QQ, Section, Township, Range:	State: UTAH	

EFFECTIVE DATE OF TRANSFER: 6/1/2006

CURRENT OPERATOR

Company: Exxon Mobil Oil Corporation Name: _____
Address: PO Box 4358 Signature: _____
city Houston state TX zip 77210-4358 Title: _____
Phone: (281) 654-1936 Date: _____
Comments: Exxon Mobil has submitted a separate, signed copy of UIC Form 5

NEW OPERATOR

Company: Resolute Natural Resources Company Name: Dwight E Mallory
Address: 1675 Broadway, Suite 1950 Signature: _____
city Denver state CO zip 80202 Title: Regulatory Coordinator
Phone: (303) 534-4600 Date: 4/20/2006
Comments: A list of affected UIC wells is attached.
New bond numbers for these wells are:
BIA Bond # PA002769 and US EPA Bond # B001252

(This space for State use only)

Transfer approved by: _____
Title: Field Operations Manager

Approval Date: 6/12/06

Comments:

RECEIVED
APR 24 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Unit Agreement</u>		5. LEASE DESIGNATION AND SERIAL NUMBER: <u>See attached list</u>
2. NAME OF OPERATOR: <u>Resolute Natural Resources Company</u> <u>N2700</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Navajo Tribe</u>
3. ADDRESS OF OPERATOR: <u>1675 Broadway, Suite 1950</u> CITY <u>Denver</u> STATE <u>CO</u> ZIP <u>80202</u>		7. UNIT or CA AGREEMENT NAME: <u>Ratherford Unit</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: <u>See attached list</u>		8. WELL NAME and NUMBER: <u>See attached list</u>
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: <u> </u>		9. API NUMBER: <u>Attached</u>
COUNTY: <u>San Juan</u>		10. FIELD AND POOL, OR WILDCAT: <u>Greater Aneth</u>
STATE: <u>UTAH</u>		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

Effective June 1, 2006 Exxon Mobil Oil Corporation resigns as operator of the Ratherford Unit. Also effective June 1, 2006 Resolute Natural Resources Company is designated as successor operator of the Ratherford Unit.

A list of affected producing and water source wells is attached. A separate of affected injection wells is being submitted with UIC Form 5, Transfer of Authority to Inject.

As of the effective date, bond coverage for the affected wells will transfer to BIA Bond # PA002769.

NAME (PLEASE PRINT) Dwight E Mallory

TITLE Regulatory Coordinator

SIGNATURE Dwight E Mallory

DATE 4/20/2006

(This space for State use only)

APPROVED 6127106

Earlene Russell

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

RECEIVED

APR 24 2006

DIV. OF OIL, GAS & MINING

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <u>Injection</u>		5. LEASE DESIGNATION AND SERIAL NUMBER:
2. NAME OF OPERATOR: ExxonMobil Oil Corporation <u>N1855</u>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: <u>Ship Rock</u>
3. ADDRESS OF OPERATOR: P.O. Box 4358 CITY <u>Houston</u> STATE <u>TX</u> ZIP <u>77210-4358</u>		7. UNIT or CA AGREEMENT NAME: <u>UTU68931A</u>
4. LOCATION OF WELL FOOTAGES AT SURFACE: QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		8. WELL NAME and NUMBER: <u>Ratherford</u>
PHONE NUMBER: <u>(281) 654-1936</u>		9. API NUMBER: <u>attached</u>
		10. FIELD AND POOL, OR WILDCAT: <u>Aneth</u>

COUNTY: San Juan

STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: <u>6/1/2006</u>	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input checked="" type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

ExxonMobil Oil Corporation is transferring operatorship of Greater Aneth field, Ratherford lease to Resolute Natural Resources Company. All change of operator notices should be made effective as of 7:00 AM MST on June 1, 2006.

Attached please find a listing of injection wells included in the transfer.

NAME (PLEASE PRINT) <u>Laurie Kilbride</u>	TITLE <u>Permitting Supervisor</u>
SIGNATURE <u>Laurie Kilbride</u>	DATE <u>4/19/2006</u>

(This space for State use only)

APPROVED 6/27/06
Earlene Russell
Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instructions on Reverse Side)

RECEIVED
APR 21 2006

GREATER ANETH FIELD UIC WELL LIST
Ratherford lease, San Juan County, Utah

Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Surface Location							
					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot	
RATHERFORD UNIT	1W24	430371583900S1	Shut-in	14-20-603-246A	NE	SE	1	41S	23E	0651FSL	3300FEL	
RATHERFORD UNIT	2W44	430371638600S1	Active	14-20-603-246A	SE	SE	2	41S	23E	0810FSL	0510FEL	
RATHERFORD UNIT	11W42	430371584100S1	Active	14-20-603-246A	SE	NE	11	41S	23E	3290FSL	4617FWL	
RATHERFORD UNIT	11W44	430371584200S1	Shut-in	14-20-603-246A	SE	SE	11	41S	23E	0660FSL	0558FEL	
RATHERFORD UNIT	12W11	430371584300S1	Active	14-20-603-246A	NW	NW	12	41S	23E	0678FNL	4620FEL	
RATHERFORD UNIT	12W13	430371640400S1	Active	14-20-603-246A	NW	SW	12	41S	23E	1980FSL	4620FEL	
RATHERFORD UNIT	12W22	430371584501S1	Active	14-20-603-246A	SE	NW	12	41S	23E	1920FNL	2080FWL	
RATHERFORD UNIT	12W24	430373115101S1	Active	14-20-603-246A	SE	SW	12	41S	23E	0775FSL	1980FWL	
RATHERFORD UNIT	12W31	430371584700S1	Active	14-20-603-246A	NW	NE	12	41S	23E	0661FNL	1981FEL	
RATHERFORD UNIT	12W33	430371584800S1	Active	14-20-603-246A	NW	SE	12	41S	23E	1958FSL	3300FEL	
RATHERFORD UNIT	12W42	430371585000S1	Active	14-20-603-246A	SE	NE	12	41S	23E	3275FSL	0662FEL	
RATHERFORD UNIT	12W44A	430373154300S1	Shut-in	14-20-603-246A	SE	SE	12	41S	23E	0772FSL	0807FEL	
RATHERFORD UNIT	13W11	430373115201S1	Active	14-20-603-247A	NW	NW	13	41S	23E	0500FNL	0660FWL	
RATHERFORD UNIT	13W13	430371585100S1	Active	14-20-603-247A	NW	SW	13	41S	23E	1980FSL	4620FEL	
RATHERFORD UNIT	13W22	430371585200S1	Active	14-20-603-247A	SE	NW	13	41S	23E	1988FNL	3300FEL	
RATHERFORD UNIT	13W24	430371585300S1	Active	14-20-603-247A	SE	SW	13	41S	23E	0660FSL	3300FEL	
RATHERFORD UNIT	13W33	430371585501S1	Active	14-20-603-247A	NW	SE	13	41S	23E	1970FSL	1979FEL	
RATHERFORD UNIT	13W42	430371585700S1	Shut-in	14-20-603-247A	SE	NE	13	41S	23E	2139FNL	0585FEL	
RATHERFORD UNIT	13W44	430371640700S1	Active	14-20-603-247A	SE	SE	13	41S	23E	0653FSL	0659FEL	
RATHERFORD UNIT	14-31	430373171700S1	Active	14-20-603-247A	NW	NE	14	41S	23E	0754FNL	1604FEL	
RATHERFORD UNIT	14W42	430371586001S1	Active	14-20-603-247A	SE	NE	14	41S	23E	1976FNL	653FEL	
RATHERFORD UNIT	24W31	430371586200S1	Shut-in	14-20-603-247A	NW	NE	24	41S	24E	0560FNL	1830FEL	
RATHERFORD UNIT	24W42	430371586300S1	Shut-in	14-20-603-247A	SE	NE	24	41S	24E	1980FNL	0660FEL	
RATHERFORD UNIT	17W12	430371572601S1	Active	14-20-603-353	SW	NW	17	41S	24E	1980FNL	510FWL	
RATHERFORD UNIT	17W14	430371572700S1	Active	14-20-603-353	SW	SW	17	41S	24E	0610FSL	0510FWL	
RATHERFORD UNIT	17W21	430371641601S1	Active	14-20-603-353	NE	NW	17	41S	24E	0510FNL	1830FWL	
RATHERFORD UNIT	17W23	430371572801S1	Active	14-20-603-353	NE	SW	17	41S	24E	1880FSL	1980FWL	
RATHERFORD UNIT	17W32	430371572900S1	TA'd	14-20-603-353	SW	NE	17	41S	24E	1830FNL	2030FEL	
RATHERFORD UNIT	17W34	430371573000S1	Active	14-20-603-353	SW	SE	17	41S	24E	0560FSL	1880FEL	
RATHERFORD UNIT	17W41	430371573100S1	Shut-in	14-20-603-353	NE	NE	17	41S	24E	0610FNL	0510FEL	
RATHERFORD UNIT	17W43	430371641701S1	Active	14-20-603-353	NE	SE	17	41S	24E	1980FSL	0660FEL	
RATHERFORD UNIT	18-43B	430373171801S1	Active	14-20-603-353	NE	SE	18	41S	24E	2023FSL	0651FEL	
RATHERFORD UNIT	18W12	430373115301S1	Active	14-20-603-353	SW	NW	18	41S	24E	1980FNL	560FWL	
RATHERFORD UNIT	18W14	430371573501S1	Active	14-20-603-353	SW	SW	18	41S	24E	0810FSL	0600FWL	
RATHERFORD UNIT	18W21	430371641801S1	Active	14-20-603-353	NE	NW	18	41S	24E	660FNL	1882FWL	
RATHERFORD UNIT	18W23	430373024400S1	Shut-in	14-20-603-353	NE	SW	18	41S	24E	2385FSL	2040FWL	
RATHERFORD UNIT	18W32	430371573601S1	Active	14-20-603-353	SW	NE	18	41S	24E	2140FNL	1830FEL	
RATHERFORD UNIT	18W34	430371573701S1	Active	14-20-603-353	SW	SE	18	41S	24E	780FSL	1860FEL	
RATHERFORD UNIT	18W41	430371573800S1	TA'd	14-20-603-353	NE	NE	18	41S	24E	0660FNL	0660FEL	
RATHERFORD UNIT	19-12	430371573901S1	Active	14-20-603-353	SW	NW	19	41S	24E	1980FNL	0600FWL	
RATHERFORD UNIT	19-32	430371574301S1	Active	14-20-603-353	SW	NE	19	41S	24E	2717FNL	2802FEL	
RATHERFORD UNIT	19-34	430371574401S1	Active	14-20-603-353	SW	SE	19	41S	24E	0660FSL	1980FEL	
RATHERFORD UNIT	19W21	430371574100S1	Shut-in	14-20-603-353	NE	NW	19	41S	24E	0660FNL	1860FWL	
RATHERFORD UNIT	19W23	430371574200S1	Shut-in	14-20-603-353	NE	SW	19	41S	24E	2080FSL	1860FWL	
RATHERFORD UNIT	19W43	430371642000S1	Shut-in	14-20-603-353	NE	SE	19	41S	24E	1980FSL	0760FEL	
RATHERFORD UNIT	20-12	430371574601S1	Active	14-20-603-353	SW	NW	20	41S	24E	0709FNL	0748FEL	
RATHERFORD UNIT	20-14	430371574701S1	Active	14-20-603-353	SW	SW	20	41S	24E	0660FSL	0660FWL	
RATHERFORD UNIT	20-32	430371574901S1	Active	14-20-603-353	SW	NE	20	41S	24E	0037FNL	0035FWL	
RATHERFORD UNIT	20-34	430371575001S1	Active	14-20-603-353	SW	SE	20	41S	24E	0774FNL	0617FWL	
RATHERFORD UNIT	20-67	430373159000S1	Active	14-20-603-353	NE	SW	20	41S	24E	2629FSL	1412FWL	
RATHERFORD UNIT	20W21	430371642300S1	Active	14-20-603-353	NE	NW	20	41S	24E	0660FNL	1880FWL	
RATHERFORD UNIT	20W23	430371574800S1	Active	14-20-603-353	NW	SW	20	41S	24E	2080FSL	2120FWL	
RATHERFORD UNIT	20W41	430371575100S1	Active	14-20-603-353	NE	NE	20	41S	24E	0660FNL	0660FEL	
RATHERFORD UNIT	20W43	430371642400S1	TA'd	14-20-603-353	NE	SE	20	41S	24E	2070FSL	0810FEL	
RATHERFORD UNIT	16W12	430371572000S1	Active	14-20-603-355	SW	NW	16	41S	24E	1880FNL	0660FWL	

GREATER ANETH FIELD UIC WELL LIST
Ratherford lease, San Juan County, Utah

Reg Lease Name	Well ID	API Num	Status	Reg Lease #	Surface Location						
					Qtr 1	Qtr 2	Sec	TN	RNG	NS Foot	EW Foot
RATHERFORD UNIT	16W14	430371572100S1	Shut-in	14-20-603-355	SW	SW	16	41S	24E	0660FSL	0660FWL
RATHERFORD UNIT	16W21	430371641400S1	Active	14-20-603-355	NE	NW	16	41S	24E	0660FNL	1880FWL
RATHERFORD UNIT	16W23	430371572201S1	Active	14-20-603-355	NE	SW	16	41S	24E	1980FSL	1980FWL
RATHERFORD UNIT	16W43	430371641501S1	Active	14-20-603-355	NE	SE	16	41S	24E	2140FSL	0820FEL
RATHERFORD UNIT	21-14	430371575301S1	Active	14-20-603-355	SW	SW	21	41S	24E	0660FSL	0460FWL
RATHERFORD UNIT	21-67	430373175301S1	Active	14-20-603-355	NE	SW	21	41S	24E	2560FSL	1325FWL
RATHERFORD UNIT	21W21	430371642501S1	Active	14-20-603-355	NE	NW	21	41S	24E	0660FNL	2030FWL
RATHERFORD UNIT	6W14	430371598400S1	Active	14-20-603-368	NE	SE	6	41S	24E	0660FSL	0660FWL
RATHERFORD UNIT	7W12	430371598500S1	Active	14-20-603-368	NE	SE	7	41S	24E	2140FNL	0585FWL
RATHERFORD UNIT	7W14	430371598600S1	Active	14-20-603-368	NE	SE	7	41S	24E	1065FSL	0660FWL
RATHERFORD UNIT	7W21	430371639400S1	Active	14-20-603-368	NE	NW	7	41S	24E	0710FNL	1820FWL
RATHERFORD UNIT	7W34	430371598900S1	Active	14-20-603-368	SW	SE	7	41S	24E	0710FSL	2003FEL
RATHERFORD UNIT	7W43	430371639500S1	Active	14-20-603-368	NE	SE	7	41S	24E	2110FSL	0660FEL
RATHERFORD UNIT	8W14	430371599200S1	Active	14-20-603-368	SW	NE	8	41S	24E	0745FSL	0575FWL
RATHERFORD UNIT	10W43	430371640300S1	TA'd	14-20-603-4037	NE	SE	10	41S	24E	1980FSL	0550FEL
RATHERFORD UNIT	29-12	430371533701S1	Active	14-20-603-407	SW	NW	29	41S	24E	2870FNL	1422FWL
RATHERFORD UNIT	29-32	430371533901S1	Active	14-20-603-407	SW	NE	29	41S	24E	0694FNL	0685FWL
RATHERFORD UNIT	29W21	430371643200S1	Active	14-20-603-407	NE	NW	29	41S	24E	0667FNL	2122FWL
RATHERFORD UNIT	29W41	430371643300S1	Active	14-20-603-407	NE	NE	29	41S	24E	0557FNL	0591FEL
RATHERFORD UNIT	29W43	430371643400S1	Shut-in	14-20-603-407	NE	SE	29	41S	24E	1980FSL	0660FEL
RATHERFORD UNIT	30W41	430371534300S1	Shut-in	14-20-603-407	NE	NE	30	41S	24E	0660FNL	0660FEL
RATHERFORD UNIT	28-12	430371533601S1	Active	14-20-603-409	SW	SE	28	41S	24E	2121FNL	0623FWL
RATHERFORD UNIT	28W21	430371643100S1	Shut-in	14-20-603-409	NE	NW	28	41S	24E	0660FNL	2022FWL
RATHERFORD UNIT	9W23	430371639800S1	Active	14-20-603-5046	NW	SE	9	41S	24E	1980FSL	1980FWL

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9			
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: 14-20-603-368			
1. TYPE OF WELL Water Injection Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME: NAVAJO			
2. NAME OF OPERATOR: RESOLUTE NATURAL RESOURCES		7. UNIT or CA AGREEMENT NAME: RATHERFORD			
3. ADDRESS OF OPERATOR: 1675 Boradway Ste 1950 , Denver, CO, 80202		8. WELL NAME and NUMBER: 7-34			
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0710 FSL 2003 FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: SWSE Section: 07 Township: 41.0S Range: 24.0E Meridian: S		9. API NUMBER: 43037159890000			
9. FIELD and POOL or WILDCAT: GREATER ANETH		COUNTY: SAN JUAN			
STATE: UTAH					
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA					
TYPE OF SUBMISSION	TYPE OF ACTION				
<input checked="" type="checkbox"/> NOTICE OF INTENT Approximate date work will start: 6/9/2014 <input type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: <input type="checkbox"/> SPUD REPORT Date of Spud: <input type="checkbox"/> DRILLING REPORT Report Date:	<table style="width: 100%; border: none;"> <tr> <td style="width: 33%; vertical-align: top;"> <input checked="" type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER </td> <td style="width: 33%; vertical-align: top;"> <input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/> </td> </tr> </table>		<input checked="" type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>
<input checked="" type="checkbox"/> ACIDIZE <input type="checkbox"/> CHANGE TO PREVIOUS PLANS <input type="checkbox"/> CHANGE WELL STATUS <input type="checkbox"/> DEEPEN <input type="checkbox"/> OPERATOR CHANGE <input type="checkbox"/> PRODUCTION START OR RESUME <input type="checkbox"/> REPERFORATE CURRENT FORMATION <input type="checkbox"/> TUBING REPAIR <input type="checkbox"/> WATER SHUTOFF <input type="checkbox"/> WILDCAT WELL DETERMINATION	<input type="checkbox"/> ALTER CASING <input type="checkbox"/> CHANGE TUBING <input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS <input type="checkbox"/> FRACTURE TREAT <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> RECLAMATION OF WELL SITE <input type="checkbox"/> SIDETRACK TO REPAIR WELL <input type="checkbox"/> VENT OR FLARE <input type="checkbox"/> SI TA STATUS EXTENSION <input type="checkbox"/> OTHER	<input type="checkbox"/> CASING REPAIR <input type="checkbox"/> CHANGE WELL NAME <input type="checkbox"/> CONVERT WELL TYPE <input type="checkbox"/> NEW CONSTRUCTION <input type="checkbox"/> PLUG BACK <input type="checkbox"/> RECOMPLETE DIFFERENT FORMATION <input type="checkbox"/> TEMPORARY ABANDON <input type="checkbox"/> WATER DISPOSAL <input type="checkbox"/> APD EXTENSION OTHER: <input style="width: 100px;" type="text"/>			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. Resolute Natural Resources respectfully submits this sundry as notice to clean out and acidize the above well. Attached are the procedures and schematic					
<div style="text-align: right;"> Accepted by the Utah Division of Oil, Gas and Mining June 17, 2014 Date: _____ By: <u>Derek Quist</u> </div>					
NAME (PLEASE PRINT) Erin Joseph		PHONE NUMBER 303 573-4886			
SIGNATURE N/A		TITLE Sr. Regulatory Analyst			
DATE 6/9/2014					

RESOLUTE

NATURAL RESOURCES

RU 7W-34 Coil Tubing Clean Out & Acidize

Procedure

1. LOTO Injection Lines at wellhead, on main isolation valves, and CP Panel.

NOTE: Last wellwork record in the wellfile was Jan 1996; State of UT file showed 5/10/2001 workover, but no bha depths other than pkr depth.

2. MI spot CTU, pump unit, rig pit, install hard line and choke manifold.
3. RU CTU with 1.25 inch coil, 1.25 Vortec washtool.
4. Test lubricator and BOP's to 4500 psig.

Minimum ID @ 1.43 'R 'profile @ ~5703' KB' (1.39 no-go).

5. RIH with CTU, establish circulation; clean out fill to PBTD at 5930' KB;

Take solids samples for analysis. After reaching PBTD, circ well bore clean.

6. POOH & load coil with 7 drums (385 gal) xylene or alternate solvent; Prepare to acidize behind the solvent with 2500 gal inhibited 20% HCl.

7. Spot coil at btm perf 5903' & begin solvent at .5 bpm, move CT up & down thru perfs (top perf 5840') twice while pumping solvent, then shut down for 30 min soak when acid is at the tip of the coil, & coil at btm perf. Coil speed of 13.8 fpm required at 0.5 bpm.

8. Pump the acid while again making two trips up and down through the perfs w/the coil.

9. PU to ~5800' and overdisplace acid past btm perf at 5903' by 25 bbls fresh water.

10. POOH with coil tubing.

11. RD CTU and stimulation equipment. Release equipment.

12. Backflow lateral line for cleanup.

13. Advise Pierce Benally (435) 619-7234 the well is ready to return to injection.

RATHERFORD UNIT # 7W-34

GREATER ANETH FIELD

710' FSL & 2003' FEL

SEC 7-T41S-R24E


SAN JUAN COUNTY, UTAH

API 43-037-15989

PRISM 0042949

INJECTORCapacities: bbl/ft gal/ft cuft/ft

2-7/8" 6.5#	.00579	.2431	.0325
7" 20#	.0404	1.7005	.2273
7" 23#	.0393	1.6535	.2210
2-7/8x7" 20#	.0325	1.3533	.1822
2-7/8x7" 23#	.0313	1.3162	.1760



K.B. Duhon 11-07-02 R.U. #7W-34